

# FLEXTOOL TUFFTRUK™ B450G - PETROL

Flextool's range of TuffTruk mini dumpers provide maximum versatility and light-touch operation. Available in both battery power and petrol engine, the TuffTruk achieves ultimate manoeuvrability with its compact size and articulated steering function.

Operator safety is optimised with the 2-stage self-tipping skip and automatic motor brake system, while the wide profile mud gripper tyres, excellent load capacity and robust, heavy-duty construction prove the Flextool TuffTruk is designed for all types of materials and tough terrains across a variety of trades.



FOR MORE INFORMATION CONTACT US ON 1300 353 986 OR VISIT flextool.com.au

## **PRODUCT & PERFORMANCE** SPECIFICATIONS



### $\textbf{FLEXTOOL} \ \textbf{TUFFTRUK}^{\text{\tiny TM}} - \textbf{MINI} \ \textbf{DUMPERS}$


Model	EB500	B450G	
Max Payload (kg/m³)	500 / 0.35	450 / 0.3	
Operating Width (mm)	850	850	
Unladen Operating Weight (kg)	240	180	
Working Gradient (deg)	25	25	
Drive & Controls	2 x 24 V Transaxle	Hydrostatic	
Brake System	Electric	Hydrostatic	
Tyres (Standard)	Mud Gripper Pneumatic	Mud Gripper Pneumatic	
Travel Speed Fwd / Rev (km/h)	5.6 / 2.4	6.4 / 2.4	
Noise level (dB)	< 76	< 96	
Hand Arm Vibration (m/s²)	2.5	4.6	
Engine / Motor	DC Brushless	Honda GX200	
Engine Motor Power	2 x 750 W / 24 V	6.5 hp	
Fuel Type	2 x 12 V AGM Batteries	Petrol	
Shipping Dimensions (L x W x H) (mm)	1160 x 940 x 1180	1380 x 920 x 1130	
Shipping Weight (kg)	285	220	
Product Code	FT202511-UNIT	FT202501-UNIT	





B450G


### **DIMENSIONS**



### 

141

#### **TURNING CIRCLE\*\***



All dimensions are in millimeters and apply to B450G only.

\* Denotes dimensions when narrow bucket is fitted.

\*\* Turning circle indicates B450G only.

FOR MORE INFORMATION CONTACT US ON 1300 353 986 OR VISIT flextool.com.au

## **PRODUCT & PERFORMANCE** SPECIFICATIONS



### $\textbf{FLEXTOOL}~\textbf{TUFFTRUK}^\circ - \textbf{ACCESSORIES}$

Description	Suits EB500	Suits B450G	Product Code
1 TUFFTRUK TOW BALL HITCH	$\checkmark$	$\checkmark$	FT202504-UNIT
2 TUFFTRUK FLAT BED – 850 MM	$\checkmark$	$\checkmark$	FT202505-UNIT
<b>3</b> TUFFTRUK NARROW POLY BUCKET – 730 MM	$\checkmark$	×	FT202512-UNIT
4 TUFFTRUK SKIP CONTROL HANDLE	$\checkmark$	$\checkmark$	FT202507-UNIT
5 TUFFTRUK POWERTIP AND BUCKET ATTACHMENT	$\checkmark$	×	FT202612-UNIT
6 TUFFTRUK TURF TYRE WHEELS – SET OF 4	$\checkmark$	$\checkmark$	FT202509-UNIT





2



3

6







This Technical Data Sheet (TDS) summarises our best knowledge of the product, based on the information available at the time. You should read this TDS carefully and consider the information in the context of how the product will be used. Our responsibility for products sold is subject to our standard terms and conditions of sale. Parchem does not accept any liability either directly or indirectly for any losses suffered in connection with the use of the product whether or not in accordance with any advice, specification, recommendation or information given by it.

© This publication is copyright. All rights are reserved. Hextool and lufflruk are registered trade marks of Parchem Construction Supplies Pty Ltd.