




PRODUCT CATALOGUE



VOLUME 32



**AT FLEXTOOL WE
UNDERSTAND THAT BUYING
EQUIPMENT CAN BE A BIG
COMMITMENT.**

**THAT'S WHY WE'VE INTRODUCED
TRY BEFORE YOU BUY.**



Try Before You Buy is here to make your life, and your business decisions, easier.

Experience selected Flextool products through our Hire partners, for two days, free of charge.*

If you like the product and want to buy one, you can purchase a brand-new product through your local Flextool distributor.

We're committed to helping you get the job done right, whatever it takes.

**TRY BEFORE YOU BUY.
GUARANTEED SUCCESS.**

To try before you buy, go to flextool.com.au/try-before-you-buy to register and we will get in touch with you.



Scan to register



AT FLEXTOOL WE KNOW THAT TIME IS MONEY.

THAT'S WHY WE'VE INTRODUCED THE FLEXTOOL PROMISE.



FOR OVER 70 YEARS FLEXTOOL
HAVE BEEN SUPPLYING AUSTRALIAN
TRADIES LIKE YOU WITH QUALITY
EQUIPMENT AND TOOLS. WE ARE
COMMITTED TO PROVIDING YOU
WITH THE BEST CONSTRUCTION
EQUIPMENT TO GET YOUR JOB DONE.

We know that downtime on jobs costs money, so to help limit any downtime due to machinery breakdown we've introduced The Flextool Promise.*

To put it simply, if the unexpected happens and something goes wrong with your Flextool equipment on the job, within the first 12 months of purchase, we'll help arrange and cover the cost of a loan machine for 2 days, free of charge, whilst your product is being repaired.

It's the 'road-side assist' program for your construction equipment. For complete peace of mind, make sure you register within 30 days of purchase.

With Flextool, you can start and finish your work with confidence. That's why we've been trade trusted since 1951.

The Flextool Promise. Job done.














Scan to register




*Conditions apply. See flextool.com.au for details.



FROM SITE PREP TO SURFACE PREP,
FLEXTOOL OFFERS A COMPLETE
RANGE OF QUALITY PROFESSIONAL
CONCRETE AND CONSTRUCTION
EQUIPMENT.

	SOIL COMPACTION	8
Tamping rammers, forward and reversible plate compactors		
	MINI DUMPERS	26
Battery and petrol powered models		
	DRIVE UNITS	30
Petrol and diesel models		
	PUMPS	32
Submersible pumps, lay flat hose and extension flexshafts		
	CONCRETE VIBRATORS	34
Flexshaft concrete vibrators, PortaVibe and PowerVibe		
	CONCRETE POWER SCREEDING	42
PortaScreed, double beam vibratory screed and truss screed		
	CONCRETE POWER FINISHING	50
Walk-behind and ride-on power trowels, trowel blades and pan floats		
	HAND TOOLS	74
Concrete and masonry		
	DIAMOND CUTTING AND SAWING	99
Saws and diamond blades		
	SPRAYERS	110
Industrial sprayer and chemical spraying systems		
	SURFACE PREPARATION	116
Concrete grinders, dust collectors, scarifier and diamond grinding consumables		



Flextool PortaPac®

Suitable for all trades, the Flextool PortaPac FCP-48 is designed for ultimate manoeuvrability. Incorporating a narrow base plate, the PortaPac can complete soil compaction works in tight and restricted spaces where larger plate compactors cannot fit. In addition, the built-in wheel kit eliminates the need to manually lift the PortaPac while around the job site. Portability is optimised with a central lifting point for safe and easy lifting, plus folding handle for straightforward transportation.

This product is eligible for the Flextool Promise.



Model	Operating Weight (kg)	Plate Size (w x l) (mm)	Centrifugal Force Max (kN)	Vibration Frequency (vpm)	Max Travel Speed* (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Lifting Hook	Engine Make & Model	Max Rated Power (hp)	Fuel Type	Product Code
FCP-48	48	310 x 430	8.5	5140	22	32	410	Yes	Honda GX100	3		FT201870-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.

Flextool Forward Plate Compactor

The Flextool Forward Plate Compactor FCP-87B is suitable for a wide range of compaction applications. Engineered with a foldover handle, heavy-duty handle mounts and Honda 4-stroke engine, this unit is highly portable, easily manoeuvrable and delivers excellent compaction results.

This product is eligible for the Flextool Promise.



Model	Operating Weight (kg)	Plate Size (w x l) (mm)	Centrifugal Force Max (kN)	Vibration Frequency (vpm)	Max Travel Speed* (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Lifting Hook	Engine Make & Model	Max Rated Power (hp)	Fuel Type	Product Code
FCP-87B	87	460 x 610	19.8	7000	26	35	717	Yes	Honda GX160	5.5		FT201806-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.



SOIL COMPACTION

3 YEAR WARRANTY

HIT HARDER
LAST LONGER
BUILT STRONGER



Exclusive to Flextool, Mikasa soil compaction equipment is recognised as the industry standard for compacting granular soils and asphalt. The range includes both petrol and electric power packed Tamping Rammers, Forward and Reversible Plate Compactors.

Founded in Japan in 1937, Mikasa has been exported worldwide since 1968. Designed and manufactured in South East Asia, these premium soil compactors are built to last and all products are covered by a 3 year product warranty and the Flextool Promise.

Tamping Rammers
For use in confined spaces such as trenches and deep excavations for compacting soil and backfill

Reversible Plate Compactors
Used for compacting larger areas and also trenches with its forward and reverse directional capabilities

Forward Plate Compactors
Used for compacting thin layers such as road base and asphalt

Mikasa Tamping Rammers

Mikasa Tamping Rammers are perfectly balanced to deliver hard hitting compaction while ensuring optimised operator comfort and product transportation. Engineered with a Vibration Absorbing System, integrated handle roller and Honda 4-stroke engine, the Mikasa Tamping Rammers offer superior build quality and excellent performance.

This product is eligible for the Flextool Promise.

Cyclonic air filtration system

For superior air filtration to lengthen service internals and improve engine protection

Handle roller

- Easy loading into vehicles
- Unit can lie down to 90° during transportation

Vibration Absorbing System

Low vibration handles for reduced hand and arm vibration transfer to the operator

Lifting hook

Central lifting hook for easy and safe onsite handling

Fully integrated control switch

Controls on/off switch, fuel tap and engine throttle

Engine guard

Fully protected engine to eliminate damage to critical engine components

Honda GX100 engine

Provides hassle free operation and low engine emissions



MTX-60E

POWERED by HONDA

MIKASA TAMPING RAMMERS (PETROL/DIESEL)



MTR-40H

Shoe Size (w x l)
100 mm x 270 mm



MTX-60E

Shoe Size (w x l)
265 mm x 340 mm



MTX-70E

Shoe Size (w x l)
285 mm x 340 mm



MTX-85DYC

Shoe Size (w x l)
285 mm x 340 mm

Model	Operating Weight (kg)	Jumping Stroke (mm)	Impact Rate (blows/m)	Max Impact Force (kN)	Average Travel Speed* (m/min)	Compaction Depth* (cm)	Engine Make & Model	Max Rated Power (hp)	Fuel Type	Average HAV (m/s²)	Fuel Tank Capacity (L)	Wheel Kit	Product Code
MTR-40H	46	40-55	644-695	5.4	10-12	20-30	Honda GX100	3	P	17.9	2	No	FT201691-UNIT
MTX-60E	64	50-80	644-695	13.6	10-12	50-85	Honda GX100	3	P	5.2	2.5	Option	FT2TX60E-UNIT
MTX-70E	75	50-80	644-695	14.9	10-12	45-70	Honda GX100	3	P	5.6	3	Option	FT2MTX70-UNIT
MTX-85DYC	93	50-80	656-698	15.7	10-12	50-85	Yanmar L48	4.7	D	18.5	3.3	Option	FT285DYC-UNIT

* Travel speeds and compaction depths vary based on different soil conditions. Specifications published are based on average performance results.

REPLACEMENT SHOE

Model	Product Code
MTR-40H	NPS71383-UNIT
MTX-60E	NPS70638-UNIT
MTX-70E, MTX-85DYC	NPS70430-UNIT



TRENCHING SHOE (115 mm wide x 330 mm high)

MTX-60E	NPS51907-UNIT
MTX-70E, MTX-85DYC	NPS51919-UNIT



TRENCHING SHOE (165 mm wide x 330 mm high)

MTX-70E, MTX-85DYC	NPS51931-UNIT
--------------------	---------------

WHEEL KIT

Product Code	Operating Weight (kg)	Suits	Wheel Diameter (mm)	Wheel Type
FT201692-UNIT	11	MTX Series Rammers	260	Solid flat free urethane



Mikasa Tamping Rammer (Electric)

Mikasa Tamping Rammers are perfectly balanced to deliver hard hitting compaction while ensuring optimised operator comfort. Engineered with a Vibration Absorbing System, motor guard and integrated control switch, the Mikasa Tamping Rammers offer superior build quality and excellent performance. Mikasa's battery powered compaction equipment range features a Honda eGX-Series electric motor which is powered by an interchangeable lithium-ion battery pack, capable of rapidly charging to 80% capacity in only 60 minutes. These zero emission and reduced noise level machines are a great alternative to the engine powered equivalents, especially when operating in noise and fume restricted environments.

This product is eligible for the Flextool Promise.

Lifting hook

Central lifting hook for easy and safe onsite handling

Honda eGX battery

- Quick charging 72 volt lithium-ion battery for maximized operational productivity
- Reaches 80% charge in 60 minutes, fully charged in 90 minutes
- Interchangeable with other Mikasa battery powered soil compaction equipment

Honda eGX motor

- High-efficiency, high-power 3 phase brushless DC motor for maximum performance and reliability
- Zero operating emissions
- Low noise offers expanded work hours and usage in noise restricted areas
- Low motor vibration reduces operator fatigue, providing a more comfortable work environment

Variable speed

Variable speed motor allows for quick and easy selection of three operating speeds to suit most job site requirements

Motor guard

Fully protected motor to eliminate damage to critical motor components

Vibration Absorbing System

Low vibration handles for reduced hand and arm vibration transfer to the operator



EQUIPMENT (BODY ONLY)



BATTERY AND CHARGER



MIKASA TAMPING RAMMER (ELECTRIC)



Model	Operating Weight (kg)	Shoe Size w x l (mm)	Jumping Stroke (mm)	Impact Rate (blows/m)	Max Impact Force (kN)	Average Travel Speed* (m/min)	Compaction Depth* (cm)	Motor Make & Model	Rated Power Cont / Max (kW)	Average HAV (m/s ²)	Run time (min)	Product Code
MT-e55	75	265 x 340	30-70	574-689	10.8	10.6	40-60	Honda GXE2.0S	1.6 / 2.4	3.6	up to 30 min	FT272787-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.
** 3 year warranty covers MT-e55 body only. Honda eGX battery and charger are covered by a separate 2 year warranty.

HONDA EGX BATTERY (sold separately)

Battery Type	Battery Capacity (Ah)	Energy Content (Wh)	Battery Weight (kg)	Voltage (V)	Charge Time	Product Code
Li-ion	10	748	6.4	72	80% charge in 60 minutes 100% charged in 90 minutes	FT272790-UNIT



HONDA EGX CHARGER (sold separately)

Charger Weight (kg)	Voltage (V/A)	Product Code
11.0	240 / 10	FT272791-UNIT



REPLACEMENT SHOE

Model	Product Code
MT-e55	NPS70638-UNIT



Replacement shoe

TRENCHING SHOE (115 mm wide x 330 mm high)

Model	Product Code
MT-e55	NPS51907-UNIT



Trenching shoe

Mikasa Forward Plate Compactors

Mikasa Forward Plate Compactors set the standard for the compaction of sub-bases and asphalt. Mikasa Forward Plate Compactors offer superior build quality and excellent performance. They are also highly portable, easily manoeuvrable and deliver excellent compaction results.

This product is eligible for the Flextool Promise.



MVC-F60H



POWERED by HONDA

MIKASA FORWARD PLATE COMPACTORS (PETROL/DIESEL)

MVC-40H	MVC-F60H	MVC-F80H	MVC-T90H	MVC-T100D
Plate size (w x l) 295 mm x 420 mm	Plate size (w x l) 350 mm x 510 mm	Plate size (w x l) 450 mm x 570 mm	Plate size (w x l) 500 mm x 525 mm	Plate size (w x l) 500 mm x 525 mm

Model	Operating Weight (kg)	Vibration Frequency (vpm/Hz)	Centrifugal Force (Max) (kN)	Max Travel Speed (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Engine Make & Model	Max Rated Power (hp)	Fuel Type	Average HAV (m/s²)	Lifting Hook	Wheel Kit	Water Tank	Product Code
MVC-40H	50	6,200 103	7.2	25	35	442.5	Honda GX100	3.0	P	5.6	Yes	Yes	Option	FT201689-UNIT
MVC-F60H	73	5,600 93	10.1	25	35	525	Honda GX120	4.0	P	7.3	Yes	Yes	Option	FT272785-UNIT
MVC-F80H	81	5,600 93	13.7	25	35	675	Honda GX160	5.5	P	6.7	Yes	Yes	Option	FT272786-UNIT
MVC-T90H	91	6,000 100	15	25	35	750	Honda GX160	5.5	P	4.7	Yes	Option	Yes	FT2CT90H-UNIT
MVC-T100D	103	6,000 100	15	25	35	750	Yanmar L48	4.7	D	5.4	Yes	Option	Yes	FT2T100D-UNIT


* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.

WHEEL KIT

Model	Serial No.	Product Code
MVC-T90H	Y1066 - A1616 and C3807 - Current	FT231599-UNIT
	A2583 - C3257	FT231594-UNIT
MVC-T100D	All	FT231599-UNIT

WATER TANK

Model	Product Code
MVC-40H	NPS05700-UNIT
MVC-F60H	NPS05148-UNIT
MVC-F80H	NPS05149-UNIT



Optional water tank

Folding handle

Wheel kit



Mikasa Forward Plate Compactor (Electric)

Mikasa Forward Plate Compactors set the standard for the compaction of sub-bases and asphalt. Mikasa Forward Plate Compactors offer superior build quality and excellent performance. They are also highly portable, easily manoeuvrable and deliver excellent compaction results. Mikasa's battery powered compaction equipment range features a Honda eGX-Series electric motor which is powered by an interchangeable lithium-ion battery pack, capable of rapidly charging to 80% capacity in only 60 minutes. These zero emission and reduced noise level machines are a great alternative to the engine powered equivalents, especially when operating in noise and fume restricted environments.

This product is eligible for the Flextool Promise.

Lifting hook
Central lifting hook for easy and safe onsite handling

Honda eGX battery

- Quick charging 72 volt lithium-ion battery for maximized operational productivity
- Reaches 80% charge in 60 minutes, fully charged in 90 minutes
- Interchangeable with other Mikasa battery powered soil compaction equipment

Honda eGX motor

- High-efficiency, high-power 3 phase brushless DC motor for maximum performance and reliability
- Zero operating emissions
- Low noise offers expanded work hours and usage in noise restricted areas
- Low motor vibration reduces operator fatigue, providing a more comfortable work environment

Optional water tank
Clip-on water tank for suppression of dust and asphalt works

Vibration Absorbing System
Low vibration handle for reduced hand and arm vibration transfer to the operator

Control panel
Easy to access start and stop switch and LED indicators

Sealed clutch and belt guard
Protects against the ingress of dust and other unwanted materials that can prematurely wear out critical clutch components and V-belt





3 YEAR WARRANTY

EQUIPMENT (BODY ONLY)



2 YEAR WARRANTY

BATTERY AND CHARGER



MIKASA FORWARD PLATE COMPACTOR (ELECTRIC)



Model	Operating Weight (kg)	Plate Size w x l (mm)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Max Centrifugal Force (kN)	Max Travel Speed* (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Lifting Hook	Wheel Kit	Water Tank	Motor Make & Model	Rated Power Cont / Max (kW)	Average HAV (m/s²)	Run time (min)	Product Code
MVC-e60	80	350 x 570	5,600	93	10.1	25	35	525	Yes	No	Option	Honda GXE2.0H	1.6 / 2.4	2.4	up to 35	FT272788-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.
** 3 year warranty covers MT-e55 body only. Honda eGX battery and charger are covered by a separate 2 year warranty.

HONDA EGX BATTERY (sold separately)

Battery Type	Battery Capacity (Ah)	Energy Content (Wh)	Battery Weight (kg)	Voltage (V)	Charge Time	Product Code
Li-ion	10	748	6.4	72	80% charge in 60 minutes 100% charged in 90 minutes	FT272790-UNIT



HONDA EGX CHARGER (sold separately)

Charger Weight (kg)	Voltage (V/A)	Product Code
11.0	240 / 10	FT272791-UNIT



WATER TANK

Model	Product Code
MVC-e60	NPS05148-UNIT





Mikasa Reversible Plate Compactors

Mikasa Reversible Plate Compactors set the standard for efficient compaction of sand, gravel and cohesive soils in trenches and large construction projects. They offer high-compaction capacity, superior travel speeds and feature fully hydraulic direction control for easy direction change. They are ideally suited for civil construction works, drainage contractors and the rental industry.

This product is eligible for the Flextool Promise.

Engine hour meter and tachometer

- Efficiently manage service intervals
- Monitor rpm for optimum compaction performance

Lifting hook

Central lifting hook for easy and safe onsite handling

Honda GX270 engine

Provides hassle free operation and low engine emissions

Full engine protection frame

- Robust frame provides superior protection against engine damage
- Hinge design simplifies maintenance and offers convenient access to all serviceable components

Forward/reverse control lever

With built-in actuator for seamless and smooth transition between both forward and reverse motions

Cyclonic air filtration system

For superior air filtration to lengthen service internals and improve engine protection

Anti-vibration and adjustable handle

- Low vibration handle for reduced hand and arm vibration transfer to the operator
- Height adjustable handle for improved operator comfort

Sealed clutch and belt guard

Protects against the ingress of dust and other unwanted materials that can prematurely wear out critical clutch components and V-belt

Removable extension plates

Easily adjust the width of the plate to match job requirements (Only on MVH-308GH, MVH-308DSY and MVH-508DSZ models)



MVH-308GH

POWERED by
HONDA

SOIL COMPACTION

MIKASA REVERSIBLE PLATE COMPACTORS (PETROL/DIESEL)

					
MVH-R60H Recoil rope start	MVH-158GH Recoil rope start	MVH-158DY Recoil rope start	MVH-308GH Recoil rope start	MVH-308DSY Electric key start	MVH-508DSZ Electric key start
Plate size (w x l)	Plate size (w x l)	Plate size (w x l)	Plate size (w x l)	Plate size (w x l)	Plate size (w x l)
Without extension plates: 350 mm x 480 mm	Without extension plates: 430 mm x 700 mm	Without extension plates: 430 mm x 700 mm	Without extension plates: 445 mm x 860 mm	Without extension plates: 445 mm x 860 mm	Without extension plates: 650 mm x 900 mm
With extension plates: N/A	With extension plates: N/A	With extension plates: N/A	With extension plates: 595 mm x 860 mm	With extension plates: 595 mm x 860 mm	With extension plates: 800 mm x 900 mm

Model	Operating Weight		Vibration Frequency (vpm/Hz)	Centrifugal Force (Max) (kN)	Max Travel Speed (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Engine Make / Model	Max Rated Power (hp)	Fuel Type	Average HAV (m/s²)	Product Code
	Without extension plates (kg)	With extension plates (kg)										
MVH-R60H	68	N/A	6,000 100	15	25	35	525	Honda GX120	4	P	6.2	FT2VHR60-UNIT
MVH-158GH	145	N/A	5,400 90	27	26	35	670	Honda GX200	6.5	P	2.9	FT201690-UNIT
MVH-158DY	164	N/A	5,400 90	25	26	35	670	Yanmar L48	4.7	D	3.3	FT272784-UNIT
MVH-308GH	310	325	4,400 73	45	27	35	963	Honda GX270	9	P	2.8	FT272776-UNIT
MVH-308DSY	341	361	4,400 73	45	27	35	963	Yanmar L70	6.7	D	2.9	FT272783-UNIT
MVH-508DSZ	525	567	4,150 69	65	29	35	1392	Hatz 1D81S	14.1	D	5.5	FT28DSZN-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.
MVH-308GH, MVH-308DSY and MVH-508DSZ are supplied with extension plates.

20

21



Mikasa Reversible Plate Compactor (Electric)

Mikasa Reversible Plate Compactors set the standard for efficient compaction of sand, gravel and cohesive soils in trenches and large construction projects. They offer high-compaction capacity, superior travel speeds and feature fully hydraulic direction control for easy direction change. Mikasa’s battery powered compaction equipment range features a Honda eGX-Series electric motor which is powered by an interchangeable lithium-ion battery pack, capable of rapidly charging to 80% capacity in only 60 minutes. These zero emission and reduced noise level machines are a great alternative to the engine powered equivalents, especially when operating in noise and fume restricted environments. Mikasa Reversible Plate Compactors are ideally suited for civil construction works, drainage contractors and the rental industry.

This product is eligible for the Flextool Promise.

Honda eGX battery

- Quick charging 72 volt lithium-ion battery for maximized operational productivity
- Reaches 80% charge in 60 minutes, fully charged in 90 minutes
- Interchangeable with other Mikasa battery powered soil compaction equipment

Honda eGX motor

- High-efficiency, high-power 3 phase brushless DC motor for maximum performance and reliability
- Zero operating emissions
- Low noise offers expanded work hours and usage in noise restricted areas
- Low motor vibration reduces operator fatigue, providing a more comfortable work environment

Motor and battery protection frame

- Robust frame provides superior protection against motor and battery damage
- Open frame design simplifies maintenance and offers convenient access to all serviceable components

Lifting hook

Central lifting hook for easy and safe onsite handling

Forward/reverse control lever

With built-in actuator for seamless and smooth transition between both forward and reverse motions

Adjustable handle

Height-adjustable handle for improved operator comfort

Sealed clutch and belt guard

Protects against the ingress of dust and other unwanted materials that can prematurely wear out critical clutch components and V-belt

Optional water tank

Clip-on water tank for suppression of dust and asphalt works





3 YEAR WARRANTY

EQUIPMENT (BODY ONLY)



2 YEAR WARRANTY

BATTERY AND CHARGER

MIKASA REVERSIBLE PLATE COMPACTOR (ELECTRIC)

Model	Operating Weight (kg)	Plate Size w x l (mm)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Max Centrifugal Force (kN)	Max Travel Speed* (m/min)	Max Gradeability (%)	Max Compacted Area (m²/h)	Motor Make / Model	Rated Power Cont / Max (kW)	Average HAV (m/s²)	Run time (min)	Product Code
MVH-eR60	81	350 x 480	6,500	108	12	24	35	504	Honda GXE2.0H	1.6 / 2.4	5.8	up to 35	FT272789-UNIT

* Travel speeds vary based on different soil conditions. Specifications published are based on average performance results.
** 3 year warranty covers MT-e55 body only. Honda eGX battery and charger are covered by a separate 2 year warranty.

HONDA EGX BATTERY (sold separately)

Battery Type	Battery Capacity (Ah)	Energy Content (Wh)	Battery Weight (kg)	Voltage (V)	Charge Time	Product Code
Li-ion	10	748	6.4	72	80% charge in 60 minutes 100% charged in 90 minutes	FT272790-UNIT

HONDA EGX CHARGER (sold separately)

Charger Weight (kg)	Voltage (V/A)	Product Code
11.0	240 / 10	FT272791-UNIT

WATER TANK

Model	Product Code
MVC-e60	NPS05148-UNIT

22

23



Flextool TuffTruk® (Electric)

Flextool's range of electric TuffTruk mini dumpers provide maximum versatility and efficient operation.

With 8 hours of runtime, the Flextool TuffTruk can sustain emission-free operation throughout the day. Its compact design and articulated steering ensure exceptional manoeuvrability, making it ideal for various job sites.

Operator safety is optimised with the 2-stage self-tipping skip and electric motor brake system, while the wide profile mud gripper tyres, excellent load capacity and robust, heavy-duty construction prove the Flextool TuffTruk is designed for all types of materials and tough terrains across a variety of trades.

This product is eligible for the Flextool Promise

Large capacity poly tray

- Payload of up to 500 kg
- Easy cleanout
- Reduced noise

Two stage self-tipping skip

- No manual lifting
- Ultimate tip angle ensures totally empty skip

Adjustable handles

For superior ergonomic and operator comfort

Articulated steering function

- Ultimate manoeuvrability
- Precise and easy steering in hard to access and tight spaces

Electric brake system

- Safe parking mode
- Superior operator safety

Battery powered

- 8 Hours runtime
- Zero operating emissions
- Quiet operation
- Regenerative braking system helps slow down when stopping and increases battery efficiency

Lifting hook

Central lifting hook for easy and safe onsite handling

Locking pin

Prevents articulation during transportation

Offset rim wheels


Wheels can be flipped to reduce operating width to match narrow poly bucket (730 mm)

Fully sealed drive system

- Low maintenance and durable
- Smooth and precise operation
- No separate gearboxes or drive belts

Constant electric transaxle 4WD design

- Wide profile mud gripper tyres
- Ultimate traction and drive



EB500

FLEXTOOL TUFFTRUK® – MINI DUMPERS (ELECTRIC)



Model	EB300	EB500	EB800
Drive	2WD	4WD	4WD
Operation Type	Walk-Behind	Walk-Behind	Stand-Behind Platform
Max Payload (kg/m³)	300 / 0.20	500 / 0.35	800 / 0.43
Operating Width (mm)	730	850	895
Unladen Operating Weight (kg)	120	240	550
Working Gradient (deg)	15	25	10 Constant / 15 Intermittent
Drive and Controls	1 x 24 V Transaxle	2 x 24 V Transaxle	2 x 24 V Transaxle
Brake System	Electric	Electric	Electric
Tyres (Standard)	Mud Gripper Pneumatic	Mud Gripper Pneumatic	Mud Gripper Pneumatic
Travel Speed Fwd / Rev (km/h)	5.6 / 2.4	5.6 / 2.4	4.0 / 4.0
Noise level (dB)	< 76	< 76	< 82
Hand Arm Vibration (m/s²)	2.5	2.5	N/A
Motor / Power	DC Motor - 1 x 600 W / 24 V	DC Motor - 2 x 750 W / 24 V	DC Motor - 2 x 1400 W / 24 V
Battery Type	2 x 12 V AGM Batteries	2 x 12 V AGM Batteries	4 x 6 V AGM Batteries
Product Code	FT202513-UNIT	FT202511-UNIT	FT202514-UNIT

Flextool TuffTruk® (Petrol)

Flextool’s range of TuffTruk mini dumpers provide maximum versatility and light-touch operation. Available in both battery power and petrol engine, the TuffTruk achieves ultimate manoeuvrability with its compact size and articulated steering function.

Operator safety is optimised with the 2-stage self-tipping skip and automatic motor brake system, while the wide profile mud gripper tyres, excellent load capacity and robust, heavy-duty construction prove the Flextool TuffTruk is designed for all types of materials and tough terrains across a variety of trades.

This product is eligible for the Flextool Promise.

Large capacity poly tray

- Payload of up to 450 kg
- Easy cleanout
- Reduced noise

Two stage self-tipping skip

- No manual lifting
- Ultimate tip angle ensures totally empty skip

Articulated steering function

- Patented centre steering system
 - Ultimate manoeuvrability
- Precise and easy steering in hard to access and tight spaces

Offset rim wheels

Wheels can be flipped to reduce operating width

Fully sealed hydrostatic drive system

- Low maintenance and durable
- Smooth and precise operation
- No separate gearboxes or drive belts

Automated motor brake system

- Safe parking mode
- Superior operator safety

Honda GX200 engine

Provides hassle free operation and low engine emissions

Constant hydrostatic 4WD design

- Wide profile mud gripper tyres
- Ultimate traction and drive



B450G

POWERED by HONDA

FLEXTOOL TUFFTRUK® – MINI DUMPER (PETROL)

Model	Max Payload (kg/m³)	Unladen Operating Weight (kg)	Working Gradient (deg)	Drive & Controls	Brake System	Travel Speed Fwd / Rev (km/h)	Noise level (dB)	Hand Arm Vibration (m/s²)	Engine Make / Model	Max Rated Power (hp)	Fuel Type	Product Code
B450G	450 / 0.3	180	25	Hydrostatic	Hydrostatic	6.4 / 2.4	< 96	4.6	Honda GX200	6.5 hp	P	FT202501-UNIT

Operating Width: 850 mm
Standard Tyres: Mud Gripper Pneumatic

ACCESSORIES

Description	Suits EB500	Suits B450G	Product Code
1 TUFFTRUK TOW BALL HITCH	✓	✓	FT202504-UNIT
2 TUFFTRUK FLAT BED – 850 MM	✓	✓	FT202505-UNIT
3 TUFFTRUK NARROW POLY BUCKET – 730 MM	✓	✗	FT202512-UNIT
4 TUFFTRUK SKIP CONTROL HANDLE	✓	✓	FT202507-UNIT
5 TUFFTRUK POWERTIP AND BUCKET ATTACHMENT	✓	✗	FT202612-UNIT
6 TUFFTRUK TURF TYRE WHEELS (EACH)	✓	✓	FT202509-UNIT



Flextool Drive Units

Engineered with durability and efficiency at the forefront, Flextool Drive Units are designed for use in the construction, hire, mining and manufacturing industries. They are fitted with a quick action coupling for easy connection to a wide range of flexible shaft submersible pumps and concrete vibrators. Features include a heavy-duty engine protection frame, 3-tooth drive coupling and built-in lifting hook. They are available with petrol or diesel engine to suit any specific job site requirement.

These products are eligible for the Flextool Promise.

Lifting hook
Central lifting hook for easy and safe onsite handling

Universal bell housing

- Fitted with 3-tooth drive coupling
- Compatible with most flexible shaft submersible pumps and concrete vibrators

Dished steel base plate
For easy mobility over concrete reinforcing mesh



Heavy-duty engine protection frame
Powder coated tubular steel roll frame for increased durability

Honda GX160 engine
Provides hassle free operation and low engine emissions

FDU-P1


Lifting hook
Central lifting hook for easy and safe onsite handling

Universal bell housing

- Fitted with 3-tooth drive coupling
- Compatible with most flexible shaft submersible pumps and concrete vibrators

Heavy-duty rubber mounts
For vibration isolation allowing sturdy operation when stationary

Dished steel base plate
For easy mobility over concrete reinforcing mesh



Heavy-duty engine protection frame
Powder coated tubular steel roll frame for increased durability

Honda GX160 engine
Provides hassle free operation and low engine emissions

FDU-P2

POWERED by
HONDA

FLEXTOOL DRIVE UNITS



Model	Operating Weight (kg)	Engine Speed (rpm)	Vibration Isolating Mounts	Lifting Hook	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FDU-P1 (Standard)	28.5	3000	No	Yes	Honda	GX160	5.5	P	FT201802-UNIT
FDU-P2 (Super)	32	3000	Yes	Yes	Honda	GX160	5.5	P	FT201798-UNIT
FDU-P3 (Heavy-duty)	38.5	3000	Yes	Yes	Honda	GX270	9	P	FT201799-UNIT
FDU-D2 (Diesel recoil start)	38	3000	Yes	Yes	Yanmar	L48	4.8	D	FT201800-UNIT
FDU-DE2 (Diesel electric start)	52	3000	Yes	Yes	Yanmar	L48	4.8	D	FT201819-UNIT

PETROL DRIVE UNITS

Petrol drive units are available with Honda four-stroke motors. An oil level sensor is fitted to protect the motor from a lack of crankcase oil.

APPLICATIONS

- Compatible with Flextool Flexshaft Submersible Pumps and Flextool Flexshaft Concrete Vibrators
- Construction, hire industry and manufacturing industry

DIESEL DRIVE UNITS

Diesel drive units are ideal for unattended operation and long term reliability. Available in both recoil or key start for easy operation.



APPLICATIONS

- Compatible with Flextool Flexshaft Submersible Pumps and Flextool Flexshaft Concrete Vibrators
- Hazardous areas including mining, tunnels and refineries

Flextool Flexshaft Submersible Pumps

The Flextool FP212 series of flexible shaft submersible pumps set the benchmark for performance and durability.


Flextool pumps are highly efficient submersible units which are operated by petrol or diesel portable drive units. Flextool pumps are completely self-priming and extremely robust in their design. The flexible drive shaft facilitates use in many situations where close coupled pumps would not be suitable. The FP212 series come with 3 x 1 metre long flexshaft support springs which protect the drive shaft when operating over the sharp edge of excavations, pits, dams and other similar applications. Plus all pumps include an 8 metre support rope.



GENERAL PURPOSE PUMPS

APPLICATIONS

- Excavations pits
- Construction sites
- Pier holes
- Dams
- Swimming pools
- Trenches



Model	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Core Diameter mm (in)	Shaft Casing Diameter mm (in)	Discharge Diameter mm (in)	Max Discharge Head m (ft)	Max Discharge L/h (gal/h)	Solids Capacity mm (in)	Material (pump head)	Product Code
FP212G-6	6 (19.7)	26.5 (58.4)	13 (0.5)	32 (1.3)	50 (2)	26 (85.3)	63,000 (16,642)	28 (1.1)	Aluminium	FT201801-UNIT
FP212G-9	9 (29.5)	38 (83.8)	13 (0.5)	32 (1.3)	50 (2)	26 (85.3)	63,000 (16,642)	28 (1.1)	Aluminium	FT201803-UNIT

ABRASION RESISTANT PUMPS

APPLICATIONS

- Quarries
- Sandy soils
- Sand pits
- Slurry



Model	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Core Diameter mm (in)	Shaft Casing Diameter mm (in)	Discharge Diameter mm (in)	Max Discharge Head m (ft)	Max Discharge L/h (gal/h)	Solids Capacity mm (in)	Material (pump head)	Product Code
FP212A-6	6 (19.7)	34 (75)	15 (0.6)	38 (1.5)	50 (2)	26 (85.3)	63,000 (16,642)	28 (1.1)	Aluminium and cast iron	FT201805-UNIT
FP212A-9	9 (29.5)	42.5 (93.7)	15 (0.6)	38 (1.5)	50 (2)	26 (85.3)	63,000 (16,642)	28 (1.1)	Aluminium and cast iron	FT201818-UNIT

CHEMICAL RESISTANT PUMPS*

APPLICATIONS

- Anodisers
- Industrial waste
- Salty water
- Others



*Improved chemical resistance to a wide range of chemicals compared to general purpose pumps.

Model	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Core Diameter mm (in)	Shaft Casing Diameter mm (in)	Discharge Diameter mm (in)	Max Discharge Head m (ft)	Max Discharge L/h (gal/h)	Solids Capacity mm (in)	Material (pump head)	Product Code
FP212C-6	6 (19.7)	37.5 (82.7)	15 (0.6)	38 (1.5)	50 (2)	26 (85.3)	63,000 (16,642)	28 (1.1)	Cast iron	FT201817-UNIT

FLEXTOOL LAY FLAT HOSE

APPLICATIONS

- Agricultural irrigation
- Deep excavations
- Industrial and construction applications



Hose Type	Hose Length m (ft)	Hose Diameter mm (in)	Fitted With	Product Code
Blue - Standard Duty Lightweight reinforced PVC	20 (65.6)	50 (2)	Coupling and Joiner	FT200032-UNIT

FLEXTOOL EXTENSION FLEXSHAFTS

Compatible with all Flextool Flexshaft Submersible Pumps and Flexshaft Concrete Vibrators.

APPLICATIONS

- Deep columns
- Elevated formwork
- Deep excavations




Model	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Inner Core Diameter mm (in)	Shaft Outer Casing Diameter mm (in)	Product Code
FES-2	6 (19.7)	20 (44)	13 (0.5)	32 (1.3)	FT201804-UNIT

Flextool Flexshaft Concrete Vibrator FVP Series

The Flextool Flexshaft Concrete Vibrator FVP Series is Australia's original series of immersion concrete vibrators, producing high-frequency vibration allowing for the efficient compaction of all types of concrete mixes. Operator safety and comfort are optimised with the rubber support sleeve and vibration counter spring. The Flextool Flexshaft Concrete Vibrator FVP Series has triple bearing technology and double oil seal protection for optimum performance and longer service life.

This product is eligible for the Flextool Promise.



FLEXTOOL FLEXSHAFT CONCRETE VIBRATORS FVP SERIES - STEEL TIP



Model	Nose Cap Type	Vibrator Head Diameter mm (in)	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Inner Core Diameter mm (in)	Shaft Casing Diameter mm (in)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Amplitude in Air mm (in)	Product Code
FVP30-6	Steel	28 (1.1)	6 (19.7)	14 (30.9)	8 (0.3)	28 (1.1)	12,600	210	1.4 (0.055)	FT201794-UNIT
FVP40-6	Steel	38 (1.5)	6 (19.7)	19 (41.9)	12 (0.5)	32 (1.3)	12,300	205	1.7 (0.067)	FT201795-UNIT
FVP40-9	Steel	38 (1.5)	9 (29.5)	26 (57.3)	12 (0.5)	32 (1.3)	12,300	205	1.7 (0.067)	FT201793-UNIT
FVP50-6	Steel	50 (2)	6 (19.7)	22 (48.5)	12 (0.5)	32 (1.3)	12,000	200	2.2 (0.087)	FT201796-UNIT
FVP50-9	Steel	50 (2)	9 (29.5)	28 (61.7)	12 (0.5)	32 (1.3)	12,000	200	2.2 (0.087)	FT201792-UNIT
FVP60-6	Steel	60 (2.4)	6 (19.7)	23 (50.7)	12 (0.5)	32 (1.3)	12,000	200	2.4 (0.094)	FT201797-UNIT
FVP60-9	Steel	60 (2.4)	9 (29.5)	29 (63.9)	12 (0.5)	32 (1.3)	12,000	200	2.4 (0.094)	FT201791-UNIT

FLEXTOOL FLEXSHAFT CONCRETE VIBRATOR FVP SERIES – RUBBER TIP



Immersion vibrator shafts fitted with resilient nose caps extend the life of form boards and improves off-the-form finishes.

Model	Nose Cap Type	Vibrator Head Diameter mm (in)	Flexshaft Length m (ft)	Operating Weight kg (lb)	Shaft Inner Core Diameter mm (in)	Shaft Casing Diameter mm (in)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Amplitude in Air mm (in)	Product Code
FVP40R-6	Rubber	38 (1.5)	6 (19.7)	19 (41.9)	12 (0.5)	32 (1.3)	12,300	205	1.7 (0.067)	FT201787-UNIT
FVP50R-6	Rubber	50 (2)	6 (19.7)	22 (48.5)	12 (0.5)	32 (1.3)	12,000	200	2.2 (0.087)	FT201788-UNIT
FVP60R-6	Rubber	60 (2.4)	6 (19.7)	23 (50.7)	12 (0.5)	32 (1.3)	12,000	200	2.4 (0.094)	FT201789-UNIT
FVP60R-9	Rubber	60 (2.4)	9 (29.5)	29 (63.9)	12 (0.5)	32 (1.3)	12,000	200	2.4 (0.094)	FT201790-UNIT

Flextool PowerVibe®

The Flextool PowerVibe is a high-frequency concrete vibrator featuring an integrated motor-in-barrel design, inline inverter control box and inline RCD protection to provide first-class operator safety and comfort.

The Flextool PowerVibe is fully electric which means it can operate with minimal noise and without engine exhaust fumes, making it the ideal choice for jobs in noise sensitive and enclosed environments. The high-frequency vibration technology achieves optimum vibration consistency resulting in more efficient consolidation of concrete when operating under load.

This product is eligible for the Flextool Promise.

Inline inverter control box

Fully sealed and weather proof

Fully electric

- Zero operating emissions
- Quiet operation
- Plugs into a standard 240 volt / 10 amp power outlet

Inline RCD protector

For improved operator safety



Lightweight design

For improved portability and operator safety

High-frequency technology

- Features integrated motor-in-barrel design achieving greater vibration consistency
- Optimum consolidation of all types of concrete mixes when operating under load
- Low vibration and heat transfer to the operator

Hardened steel vibrator head

- For extended service life
- Available in 45 mm and 60 mm diameter

Model	Operating Weight (kg)	Vibrator Head Diameter (mm)	Vibrator Head Length (mm)	Flexshaft Length (m)	Amplitude (mm)	Centrifugal Force (kN)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Voltage (v)	Current (A)	Power Cable Length (m)	Product Code
FPV-45	17.7	45	368	6	2	2.6	12,000	200	240	6	10	FT201831-UNIT
FPV-60	20.5	60	436	6	2.2	4.5	12,000	200	240	6	10	FT201832-UNIT



Flextool PortaVibe®

The Flextool PortaVibe provides the ultimate solution in concrete vibration and is suitable for a wide range of applications, including slabs, footings, stairways and footpaths.

The new contoured engine protection guard on the FVE44-2G, offers improved durability and engine protection during operation and transport. Its heavy-duty yet lightweight design is highly portable and easy to operate. The unit is fitted with a flexshaft rubber support sleeve for easier cleaning and improved support compared to metal spring models. The reliable Honda 4-stroke engine allows for hassle free operation.

This product is eligible for the Flextool Promise.



Honda GX35 engine
Provides hassle free operation and low engine emissions

Contoured engine protection guard

- Improved durability and engine protection during operation and transport
- Protects critical engine components from concrete build-up

Operating switch
Convenient on / off switch and throttle control built into the handle

Adjustable handle and carry strap

- Optimised operator comfort
- Complete operator control


Lightweight and balanced

- Heavy-duty yet lightweight design
- Highly portable
- Optimum manoeuvrability

Flexshaft rubber support sleeve
For easier cleaning and improved support compared to metal springs

High-amplitude vibrating head

- For maximum efficiency and rapid consolidation of all types of concrete mixes
- Hardened steel for extended service life



FVE44-2G

POWERED by
HONDA

FLEXTOOL PORTAVIBE® CONCRETE VIBRATORS



Model	Nose Cap Type	Vibrator Head Diameter mm (in)	Flexshaft Length mm (in)	Operating Weight kg (lb)	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Amplitude in Air mm (in)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FVE44-2	Steel	44 (1.7)	540 (21.3)	11.5 (25.4)	9,000	150	2.8 (0.11)	Honda	GX35	1.5	P	FT201807-UNIT
FVE44-2G	Steel	44 (1.7)	540 (21.3)	12.5 (27.6)	9,000	150	2.8 (0.11)	Honda	GX35	1.5	P	FT200036-UNIT



Engine Guard Front



Engine Guard Back

Flextool PortaVibe® Backpack

The Flextool PortaVibe Backpack concrete vibrator combines performance and comfort. The ergonomic contouring aluminium frame design and 4-point fully adjustable padded harness evenly distribute weight to both shoulders and hips to improve user comfort whilst reducing back strain and fatigue.

This product is eligible for the Flextool Promise.



POWERED by
HONDA

FLEXTOOL PORTAVIBE® BACKPACK - FVE-BP

Model	Operating Weight kg (lb)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FVE-BP	7.7 (17)	Honda	GX35	1.5		FT201857-UNIT

FLEXTOOL PORTAVIBE® BACKPACK - FLEXSHAFTS

Model	Operating Weight kg (lb)	Flexshaft Length m (ft)	Coupling Type	Product Code
FVE-F2	3.9 (8.6)	2 (6.6)	Screw and Spline	FT201858-UNIT
FVE-F3	5.5 (12.1)	3 (9.8)	Screw and Spline	FT201859-UNIT

FLEXTOOL PORTAVIBE® BACKPACK - VIBRATOR HEADS

Model	Operating Weight kg (lb)	Vibrator Head Diameter mm (in)	Nose Cap Type	Vibration Frequency (vpm)	Vibration Frequency (Hz)	Amplitude in Air mm (in)	Product Code
FVE-H34	2.3 (5.1)	34 (1.3)	Steel	9,000	160	1.5 (0.06)	FT201860-UNIT
FVE-H44	3.2 (7.1)	44 (1.7)	Steel	9,000	150	2.8 (0.11)	FT201861-UNIT



Flextool PortaScreed®

Featuring high-frequency vibration across the entire width of the extrusion blade, the Flextool PortaScreed FPS-3 delivers accurate and high-quality screeding that is much faster than traditional screeding methods. The PortaScreed has been optimised to improve operator comfort and efficiency, incorporating handle vibration isolators for reduced vibration transfer to the operator, a fully adjustable twin-handle system for easy height adjustment and a sturdy spring-loaded kickstand for straightforward refuelling and storage.

This product is eligible for the Flextool Promise.

Lightweight and portable design
For easy transport and onsite manoeuvrability

Padded lifting handle

- For optimised portability
- Provides additional engine protection

Side exhaust Honda GX35 engine

- Provides hassle free operation and low engine emissions
- Side exhaust directs engine fumes away from the operator

High-frequency vibration

- High-frequency vibration across the entire width of the extrusion blade for optimum efficiency
- Delivers fast, accurate and high-quality screeding

Fully adjustable twin-handle system

- For easy height adjustment
- No assembly required

Spring-loaded heavy-duty kickstand
For easy refuelling and storage

Quick-change extrusion blades
Efficient and fast blade changing (in approximately two minutes)

Special blade extrusion profile
Cuts, folds and smooths concrete

Handle vibration isolators

- For reduced hand and arm vibration transfer to the operator
- For reduced operator fatigue

Rounded extrusion blade ends
For easy navigation around obstacles



POWERED by
HONDA


FLEXTOOL PORTASCREED® - FPS-3 (BODY)

Model	Operating Weight kg (lb)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FPS-3	16 (35.3)	Honda	GX35	1.5	P	FT201833-UNIT



FLEXTOOL PORTASCREED® - EXTRUSION BLADES (sold separately)

Length m (ft)	Weight kg (lb)	Product Code
1.22 (4)	2.9 (6.4)	FT201811-UNIT
2.44 (8)	5.8 (12.8)	FT201812-UNIT
3.05 (10)	7.3 (16.1)	FT201813-UNIT
3.66 (12)	8.7 (19.2)	FT201814-UNIT
4.88 (16)	10.2 (22.5)	FT201815-UNIT



MQ Whiteman DuoScreed (Special Order)

Generating high-frequency vibration, the MQ Whiteman DuoScreed is a versatile concrete power screed designed for optimised and efficient screeding. Suitable for both form-to-form and wet screeding applications, the MQ Whiteman DuoScreed's durable extruded aluminium alloy blades incorporate a unique blade profile that allows a single operator to quickly and accurately strike off concrete floors.

The fully adjustable eccentric weights allow the operator to finetune the vibration output to suit the blade length and concrete type. Operator comfort is further optimised with fully adjustable handles, a reliable Honda GX35 engine, and handle vibration isolators for reduced vibration transfer to the operator.

Extrusion blades are available in various lengths to suit any job requirement (sold separately).

This product is eligible for the Flextool Promise.

Fully adjustable handle

- For quick and easy adjustment of handle to suit operator and screeding application
- No tools required

Support stand

For easy start up, serviceability and storage

Quick-change extrusion blades

Fast, efficient and completely tool-free blade changeover

High-strength blades

Durable aluminium alloy blades transmit vibration to the slab for effective consolidation

Honda GX35 engine

Provides hassle free operation and low engine emissions

Lifting bar

- Integrated lifting bar for improved handling
- Provides additional engine protection

Handle vibration isolators

- For reduced hand and arm vibration transfer to the operator
- For reduced operator fatigue

Adjustable high-frequency vibration

- High-frequency vibration across the entire screed width for optimum efficiency
- Eccentric weights are fully adjustable to control vibration output to match small and large blades
- No tools required



DUOSCREED (BODY)



Model	Operating Weight kg (lb)	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
DSGPULW	14.5 (32)	Honda	GX35	1.5		FT269064-UNIT

MQ WHITEMAN DUOSCREED - EXTRUSION BLADES (sold separately)

Length m (ft)	Weight kg (lb)	Product Code
1.83 (6)	6.35 (14)	FT269059-UNIT
2.44 (8)	8.15 (18)	FT269060-UNIT
3.05 (10)	10.45 (23)	FT269061-UNIT
3.66 (12)	12.7 (28)	FT269057-UNIT
4.27 (14)	14.5 (32)	FT269062-UNIT
4.88 (16)	16.8 (37)	FT269063-UNIT



Adjustable eccentric weights



Adjustable handle



Wet-screed edge

Form-to-form screed edge


Duoscreed cross-section

Flextool Double Beam Screed FDBS Series

Flextool Double Beam Screeds are an efficient means of levelling and compacting large areas of concrete. Increase placement rates as a vibrating screed strikes and compacts concrete in one pass. The vibratory motion of the beams imparts a self-propelling motion to the screed assisting it to travel over the concrete.

Pretensioned beams on both 6.5 m and 8.2 m models allow the surface flatness to be controlled by adjusting beam pretension and are recommended for precision finishing.

This product is covered by the Flextool Promise.



POWERED by
HONDA

FLEXTOOL DOUBLE BEAM SCREED – ENGINE KIT

Model	Operating Weight (kg)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FDBS-EK	37	Honda	GX160	5.5	P	FT202050-UNIT



FLEXTOOL DOUBLE BEAM SCREED – BEAMS


Weight (kg)	Length (m)	Pretensioned	Product Code
45	4.1	No	FT201320-UNIT
80	6.5	Yes	FT201532-UNIT
94	8.2	Yes	FT201611-UNIT



MQ Whiteman Truss Screed MSHE Series

The MQ Whiteman MSHE series Truss Screed is a superior truss screed for levelling pavement and industrial floors. Its modular design gives operators the ability to adapt the screed to meet their length requirements by adding or removing sections. Featuring durable steel construction, a powerful Honda engine and 10-gauge galvanised steel screed blades, this truss screed will provide dependable and maximum performance on every job.

This product is eligible for the Flextool Promise.



MQ WHITEMAN TRUSS SCREED – ENGINE KIT

Model	Operating Weight (kg)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Required item*	Product Code
MSHEKIT11H	51	Honda	GX340	11		Yes	FT269045-UNIT


MQ WHITEMAN TRUSS SCREED – SECTIONS

Model	Length (m)	Operating Weight (kg)	Required item*	Product Code
MSHE25	0.76	26	Yes**	FT269042-UNIT
MSHE50	1.5	43	Yes**	FT269043-UNIT
MSHE75	2.3	62	Yes**	FT269044-UNIT

* This information outlines whether an item is required when purchasing a new MQ Whiteman Truss Screed, or if it is an optional extra. Required items must be purchased in order to assemble a fully operational truss screed.
** Choose any configuration of truss screed sections to achieve required screed length.

MQ WHITEMAN TRUSS SCREED – COMPONENTS

Model	Product Description	Operating Weight (kg)	Required item*	Product Code
1 MSHEH	Truss screed end handle set (set of two)	27	Yes	FT269046-UNIT
2 WSHW	Truss screed manual winches set (set of two)	19	Yes	FT269047-UNIT
3 WSHEKITUJ	Truss screed invert/crown kit (up to 1/4 inch)	10	Optional	FT269048-UNIT
4 WSHEIC	Truss screed invert/crown kit (over 1/4 inch)	41	Optional	FT269049-UNIT
5 WSKITAEBR	Truss screed adjustable roller type end bracket set (set of two)	12	Optional	FT269050-UNIT
6 WSHEPW(L)	Truss screed powered winch kit - left (adds 0.76 metre to screed length)	48	Optional	FT269051-UNIT
7 WSHEPW(R)	Truss screed powered winch kit - right (adds 0.76 metre to screed length)	48	Optional	FT269052-UNIT
8 WSHRBE	Truss screed reinforcing bracket (recommended for screeds exceeding 10 metres)	2.7	Yes	FT269053-UNIT



Flextool PortaTrowel®

The Flextool PortaTrowel's lightweight design improves operator safety and allows for earlier commencement of concrete finishing when compared to heavier walk-behind machines. Matched with multi-use combination blades and a variable-length pole, this unit achieves optimum control from up to 6 metres away and allows the operator to complete finishing works without the need to step foot on the wet concrete.

This product is eligible for the Flextool Promise.



POWERED by
HONDA

FLEXTOOL PORTATROWEL®



The Flextool PortaTrowel is supplied **without** a handle. This should be ordered separately.

Model	Trowel Diameter mm (in)	Operating Weight kg (lb)	Number of Blades	Speed Range rpm	Blade Pitch Max deg	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
FPT30	760 (30)	20 (44)	4	40-70	25	Honda	GX35	1.5		FT201898-UNIT

FLEXTOOL CLIP-TOGETHER HANDLE (Sold separately)

Product Description	Maximum Number of Handles	Product Code
Flextool Clip-Together Handle 1.8 m (5.9 ft)	Maximum of 3 x handles to be used at one time. Additional handles will result in reduced control of the Flextool PortaTrowel.	FT401806-UNIT

Only Clip-Together Handles can be used with the Flextool PortaTrowel FPT30 (Telescopic Handle does not fit)



FLEXTOOL PORTATROWEL TROWEL BLADES

Product Description	Rotor Diameter mm (in)	Machine Model Compatibility	Blades Per Rotor	Size mm (in)	Blade Weight kg (lb)	Blades Per Pack	Product Code
Combination Trowel Blade 150 x 265	760 (30)	Flextool PortaTrowel FPT30	4	150 x 265 (6 x 10.5)	1.9 (4.2)	4	FT201533-UNIT



Flextool Walk-Behind Power Trowels

The Flextool Walk-Behind Power Trowels are available in a 34" and 40" working width. These robust, durable and reliable concrete power finishing units are ideal for residential and small commercial projects. Featuring a heavy-duty gearbox and spider, height adjustable and padded handlebar, and easy blade tilt system, they are designed for optimum performance and operator comfort.

This product is eligible for the Flextool Promise.



POWERED by
HONDA

FLEXTOOL WALK-BEHIND POWER TROWELS



FT34-2

FT40-2

Flextool Walk-Behind Power Trowels are supplied **with** a handle.

Model	Trowel Diameter mm (in)	Operating Weight kg (lb)	Number of Blades	Rotor Speed Range rpm	Blade Pitch Max deg	Lifting Hook	Wheel Kit Compatibility	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
FT34-2	865 (34)	82 (180)	4	70-150	28	Yes	Yes	Honda	GX160	5.5	P	FT201808-UNIT
FT40-2	1015 (40)	90 (198)	4	70-150	28	Yes	No	Honda	GX160	5.5	P	FT201816-UNIT

WHEEL KIT 34"

Suits FT34-2 only

Model	Operating Weight kg (lb)	Product Code
FTWK-2	7 (15)	FT201809-UNIT



WALK-BEHIND POWER TROWEL ENGINE COVER

Suits all FP and FT series of Flextool Walk-Behind Power Trowels

Description	Product Code
High quality vinyl engine cover with tie down hooks	FT203433-UNIT



TROWEL BLADES

Suits Model	Combination Blade	Finishing Blade
FT34-2	FT201821-UNIT	FT201823-UNIT
FT40-2	FT201822-UNIT	FT201824-UNIT



Combination Blade



Finishing Blade

*See the Trowel Blades and Pan Floats selection guide on pages 70 - 71.

Flextool ProFinish® Walk-Behind Power Trowels

The Flextool ProFinish Walk-Behind Power Trowel FP436-2 is built for the professional contractor. Fitted with precision engineered components including durable spider plates, blade tilt levers and pressure plates, this machine ensures the best possible flat floor results are achieved on each and every slab.

Equipped with highly efficient gearboxes, maximum torque is transferred to the trowel rotors for superior performance at low, medium and high rpm.

Designed around operator experience, efficiency and durability, the Flextool ProFinish Series 2 provides optimum balance and smooth operation, making it ideal for residential and commercial projects.

This product is eligible for the Flextool Promise.

Operator controls

Centrally located on handle bar stem for quick and easy access with cables fully concealed to prevent damage

Blade tilt system

- Crank handle pitch mechanism for quick, on the fly adjustment of the blade angle
- Return spring keeps the blades flat when lifting the trowel on and off the job site

Lifting hook

Central lifting hook for easy and safe onsite handling

Honda GX160 engine

Provides hassle free operation and low engine emissions

Height-adjustable and padded handlebar

For superior ergonomics and operator comfort

Bottle holder


For easy storage and access to surface retardant or water bottle

Sealed clutch and belt guard

Protects against the ingress of unwanted materials that can prematurely wear out critical clutch components and V-belt

Heavy-duty gearbox and spider

- Robust and durable design for the toughest panning, floating and finishing applications
 - Reduced maintenance and extended service life
- Belt tension system to allow for quick and easy maintenance onsite



FP436-2



FLEXTOL PROFINISH® WALK-BEHIND POWER TROWELS



Flextool Walk-Behind Power Trowels are supplied **with** a handle.

FP424-2
(Pan Float included)

FP436-2

FP440-2

FP446-2

FP436D

Model	Trowel Diameter mm (in)	Operating Weight kg (lb)	Number of Blades	Rotor Speed Range rpm	Blade Pitch Max deg	Lifting Hook	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
FP424-2	600 (24)	63.5 (140)	4	75-140	25	Yes	Honda	GX160	5.5	P	FT220062-UNIT
FP436-2	920 (36)	82 (180)	4	75-140	25	Yes	Honda	GX160	5.5	P	FT220063-UNIT
FP440-2	1015 (40)	92.5 (202)	4	75-140	25	Yes	Honda	GX270	9	P	FT220065-UNIT
FP446-2	1160 (46)	112 (246)	4	75-140	25	Yes	Honda	GX390	13	P	FT220066-UNIT
FP436D	915 (36)	94 (196)	4	50-130	30	Yes	Yanmar	L48	4.7	D	FT23436D-UNIT

WALK-BEHIND POWER TROWEL ENGINE COVER


Suits all FP and FT series of Flextool Walk-Behind Power Trowels

Description	Product Code
High quality vinyl engine cover with tie down hooks	FT203433-UNIT



TROWEL BLADES AND PAN FLOATS

Suits Model	Combination Blade	Finishing Blade	Reversible Combination Wide Finishing Blade	Pan Float
FP424-2	N/A	FT220455-UNIT	N/A	FT211766-UNIT
FP436-2, FP436D	FT220479-UNIT	FT220414-UNIT	N/A	FT211691-UNIT
FP440-2	FT220479-UNIT	FT220414-UNIT	N/A	FT240PAN-UNIT
FP446-2	FT220480-UNIT	FT220410-UNIT	FT2WX185-UNIT	FT211692-UNIT



*See the Trowel Blades and Pan Floats selection guide on pages 70 - 71.

MQ Whiteman Walk-Behind Power Trowels

The Edging Series of MQ Whiteman Walk-Behind Power Trowels are available in 24", 30" and 36" working widths. The quality J3036H55 enables the operator to finish tight to the wall without marking or marring and easily manoeuvre around obstacles.

The innovative and patented ABS plastic rotating ring resists concrete build and allows the operator to switch between 30" and 36" working widths, making this a truly versatile machine. Available with both standard knob style pitch or QuickPitch™ style controls for fast and precise blade adjustment.

This product is eligible for the Flextool Promise.

MORE POWER
TO THE FLOOR

MQ WHITEMAN WALK-BEHIND
POWER TROWELS




J3036H55

POWERED by
HONDA

MQ Whiteman Walk-Behind Power Trowels

The J and B Series of MQ Whiteman Walk-Behind Power Trowels are available in 36” and 46” working widths. Incorporating superior balance, durability, heavy-duty centrifugal clutch and your choice of standard knob style pitch or QuickPitch™ style control handles, this quality J36H90H provides contractors with the ideal machine for both residential and commercial construction work.

This product is eligible for the Flextool Promise.



POWERED by HONDA

MQ WHITEMAN WALK-BEHIND POWER TROWELS



MQ Whiteman Walk-Behind Power Trowels are supplied **without** a handle and pan float. These should be ordered separately.

Model	Trowel Rotor Diameter mm (in)	Handle Type (Handles ordered separately)	Operating Weight (kg)	Number of Blades	Speed Range (rpm)	Blade Pitch Max (deg)	Lifting Hook	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code (Does not include handle)
CA4HC	610 (24)	STHAC	65.50	4	70-130	30	Yes	Honda	GX120	4	P	FT269000-UNIT
J3036H55	760 (30)	SXH	76.25	4	60-115	30	Yes	Honda	GX160	5.5	P	FT269001-UNIT
	915 (36)	QXH	81.50									
J36H55	915 (36)	SXH	83.00	4	60-115	30	Yes	Honda	GX160	5.5	P	FT269002-UNIT
		QXH	88.50									
J36H90H	915 (36)	SXH	96.25	4	90-155	30	Yes	Honda	GX270	9	P	FT269003-UNIT
		QXH	101.50									
B46H11H	1165 (46)	SXH	120.25	4	90-155	30	Yes	Honda	GX340	11	P	FT269004-UNIT
		QXH	124.75									
HDA48413H	1220 (48)	QXHD	159.50	4	35-225	30	Yes	Honda	GX390	13	P	FT269005-UNIT

HANDLE OPTIONS (Sold separately)

Model	Product Description	Product Code
STHAC	Standard knob style pitch control for CA4HC	FT269006-UNIT
SXH	Standard knob style pitch control for J and B Series trowels	FT269007-UNIT
QXH	QuickPitch™ style control for J and B Series trowels	FT269008-UNIT
QXHD	QuickPitch™ style control for HDA48413H	FT269009-UNIT



TROWEL BLADES AND PAN FLOATS

Model	Combination Blade	Pan Float*	Reversible Combination Wide Finishing Blade	Pan Float
CA4HC	FT269020-UNIT	FT269029-UNIT	N/A	N/A
J3036H55 (30" Configuration)	FT269021-UNIT	FT269030-UNIT	N/A	N/A
J3036H55 (36" Configuration)	FT269022-UNIT	FT269031-UNIT	N/A	N/A
J36H55	FT269023-UNIT	FT269027-UNIT	FT269024-UNIT	FT269032-UNIT
J36H90H	FT269023-UNIT	FT269027-UNIT	FT269024-UNIT	FT269032-UNIT
B46H11H	FT269025-UNIT	FT269028-UNIT	FT269026-UNIT	FT269034-UNIT
HDA48413H	FT269025-UNIT	FT269028-UNIT	FT269026-UNIT	FT269034-UNIT

For further information and specifications please refer to the MQ Whiteman Trowel Blades and Pan Floats Technical Data Sheet.

*See the Trowel Blades and Pan Floats selection guide on pages 72 - 73.

MQ Whiteman products are only available through authorised dealers in Australia. Go to flextool.com.au/stockists to find your nearest MQ Whiteman authorised dealer.

Flextool ProFinish® Ride-On Power Trowels

The Flextool ProFinish Ride-On Power Trowels are built for the professional contractor. Offering exceptional power-to-weight ratios, they are the ultimate force in tackling concrete pours of all sizes.

Fitted with precision engineered components including robust and durable spider plates, mechanical steering, and heavy-duty drive system, these machines ensure the perfect finish is achieved on each and every slab. Equipped with highly efficient gearboxes, maximum torque is transferred to the trowel rotors for superior performance at low, medium and high rpm.

Designed around operator experience, efficiency and durability, the Flextool ProFinish Ride-On Series 4 provides optimum balance and smooth operation, making it ideal for industrial and commercial projects.

This product is eligible for the Flextool Promise.

Mechanical steering

Twin-stick multi-directional levers provide improved feels and precise steering control

High-back chair

- Provides improved operator comfort
- Rear-mounted product manual holder
- Operator presence safety switch

Blade pitch degree gauge

Visual gauge ensuring precise blade pitch degree on both rotors

Vanguard 35 hp engine

Reliable and high-performing to withstand the rigors and demands of panning, floating and finishing

Front LED lights

For low-light and indoor work

Double lifting points

For easy, safe and balanced onsite handling

Heavy-duty clutch and drive system

Maintains optimum torque and speed during all phases of trowelling

Tie-down points

Four dedicated anchor points for enhanced safety during transport

Heavy-duty gearbox and spider

- Robust and durable design for the toughest panning, floating and finishing applications
- Reduced maintenance and extended service life

Easy access frame design

- Easy blade replacement
- Simplifies maintenance and offers convenient access to serviceable components

Forklift pockets

Integrated pockets for use with forklift



FLEXTOOL PROFINISH® RIDE-ON POWER TROWELS



FP836-4

FP1046-4

Model	Trowel Diameter mm (in)	Path width mm (in)	Operating Weight kg (lb)	Blades Per Rotor	Steering Type	Rotor Speed Range rpm	Blade Pitch Max deg	Fuel Tank Capacity L	Wheel Kit	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
FP836-4	920 (36)	1910 (75)	292.5 (644)	4	Mechanical	0-170	25	15	Yes	Honda	GX690	27	P	FT220067-UNIT
FP1046-4	1160 (46)	2350 (92)	390.5 (861)	5	Mechanical	0-170	25	19	Yes	B&S Vanguard	6134	35	P	FT220068-UNIT

WHEEL KIT (INCLUDED)

Suits Model	Description	Product Code
FP836-4, FP1046-4	Flextool Transport Wheel Assembly (Solid Wheel)	NPS02109-UNIT
	Flextool Transport Handle Assembly	NPS02695-UNIT



(included with all Flextool ProFinish Ride-On models)

TROWEL BLADES AND PAN FLOATS

Suits Model	Combination Blade	Finishing Blade	Reversible Combination Wide Finishing Blade	Pan Float
FP836-4	FT220479-UNIT	FT220414-UNIT	N/A	FT211691-UNIT
FP1046-4	FT220480-UNIT	FT220410-UNIT	FT2WX185-UNIT	FT2H3505-UNIT



Combination Blade



Finishing Blade



Pan Float

*See the Trowel Blades and Pan Floats selection guide on pages 70-71.

WHAT'S YOUR REPUTATION RIDING ON?

MQ WHITEMAN RIDE-ON
POWER TROWELS



MQ Whiteman Ride-On Power Trowels (Mechanical Drive)

The MQ Whiteman Mechanical Drive Ride-On Power Trowels are available in twin 36" and 46" models. Incorporating TwinPitch™ control, CVT drive system, durable gearboxes and constant-velocity joints, the Mechanical Drive Ride-On Power Trowels are designed to tackle a wide range of jobsite requirements and floor sizes.

This product is eligible for the Flextool Promise.

Mechanical steering
Spring assisted for precise control and reduced fatigue

B&S Vanguard 31 hp engine
High-performance to withstand the rigors of concrete finishing


Heavy-duty CVT drive system
Constantly adjusts drive ratios to obtain torque and speed during all phases of operation

LED lighting
For night-time and indoor work

Mechanical gearboxes
Helical design for coolest running*, trouble-free and superior operation

Easy access frame design
Simplifies maintenance and offers convenient access to all serviceable components

Heavy-duty spider plates
Features long-lasting wear plates and hubs that can be economically rebuilt



HHNG5



MQ WHITEMAN RIDE-ON POWER TROWELS (MECHANICAL DRIVE)



JWN24HTCSL

Trowel Rotor Diameter
915 mm (36 in)
Path Width
1905 mm (75 in)

HHNG5

Trowel Rotor Diameter
1168 mm (46 in)
Path Width
2335 mm (92 in)

Model	Operating Weight (kg)	Blades Per Rotor	Steering Type	Speed Range (rpm)	Blade Pitch Max (deg)	Fuel Tank Capacity (L)	Wheel Kit Option	Engine Make & Model	Max Rated Power (hp)	Fuel Type	Product Code
JWN24HTCSL	355	4	Spring Assisted Mechanical	40-180	30	19	EMR2	Honda GX690	24		FT269011-UNIT
HHNG5	490	5	Spring Assisted Mechanical	0-180	30	26	EMR2 or EMR3	B&S Vanguard 540000	35		FT269012-UNIT

WHEEL KIT OPTIONS

Model	Product Description	Product Code
EMR2	Ride-on power trowel wheel transport kit EMR2	FT269018-UNIT
EMR3	Ride-on power trowel wheel transport kit EMR3	FT269019-UNIT



TROWEL BLADES AND PAN FLOATS

Model	Combination Blade	Finishing Blade	Reversible Combination Wide Finishing Blade	Pan Float - Flat	Pan Float - Super Flat
JWN24HTCSL	FT269023-UNIT	FT269027-UNIT	FT269024-UNIT	FT269032-UNIT	FT269033-UNIT
HHNG5	FT269025-UNIT	FT269028-UNIT	FT269026-UNIT	FT269035-UNIT	FT269036-UNIT


*See the Trowel Blades and Pan Floats selection guide on pages 72 - 73.

MQ Whiteman products are only available through authorised dealers in Australia. Go to flextool.com.au/stockists to find your nearest MQ Whiteman authorised dealer.

MQ Whiteman Ride-On Power Trowels (Hydrostatic Drive)

The MQ Whiteman MD80 is an 8-foot ride-on power trowel designed for performance with its powerful 40 hp Vanguard petrol engine and hydrostatic drive. This next generation power trowel is robust in its design and downtime-reducing maintenance-friendly features, making it the ideal workhorse for contractors. With hydraulic steering, cruise control, and electric pitch adjustment, the MD80 ensures effortless operation and long-term durability. Maximum torque and lower PSI allow for earlier slab entry and extended finishing windows, providing greater flexibility and efficiency. Perfect for projects that demand high performance and minimal interruptions, the MD80 is built to exceed expectations on every job site.

This product is eligible for the Flextool Promise.



MD80



MQ Whiteman Ride-On Power Trowels (Hydrostatic Drive)

The MQ Whiteman HTX6H is a heavy-duty, 8-foot ride-on power trowel designed to tackle the most demanding job sites. Featuring advanced joystick controls, a multi-function display screen, and proportional hydraulic steering, it offers operators unmatched precision and comfort. This model is built for durability and high-performance, with advanced power management ensuring exceptional floor flatness and productivity. Whether you're finishing large commercial projects or complex floors, the HTX6H is engineered to deliver outstanding results every time, making it a powerful choice for heavy-duty applications.

This product is eligible for the Flextool Promise.



HTX6H



MQ WHITEMAN RIDE-ON POWER TROWELS (HYDROSTATIC DRIVE)



Model	Trowel Rotor Diameter mm (in)	Path Width mm (in)	Operating Weight kg	Blades Per Rotor	Steering Type	Speed Range rpm	Blade Pitch Max deg	Fuel Tank Capacity L	Wheel Kit Option	Engine Make	Engine Model	Max Rated Power hp	Fuel Type	Product Code
LD6SL	915 (36)	1905 (75)	390	4	Proportional Hydraulic	0-140	30	15	EMR2 or EMR3	B&S Vanguard	3864	23	P	FT269015-UNIT
MD80	1168 (46)	2310 (91)	690	6	Proportional Hydraulic	0-160	30	30	EMR3	Vanguard	61G200	40	P	FT269065-UNIT
MD105	1525 (60)	2970 (117)	835	6	Proportional Hydraulic	0-140	30	76	EMR3	Honda	iGX800	2 x 25*	P	FT269066-UNIT
HTX6H	1168 (46)	2335 (92)	1020	6	Proportional Hydraulic	0-160	30	37.85	EMR3	Hatz	4H50TIC	70	D	FT269016-UNIT
STX6H	1525 (60)	2970 (117)	1135	6	Proportional Hydraulic	0-130	30	75.75	EMR3	Hatz	4H50TIC	70	D	FT269017-UNIT

*MD105 - Dual Engine power trowel

OPTIONAL ACCESSORIES

Model	Product Description	Product Code
EMR2	Ride-on power trowel wheel transport kit EMR2	FT269018-UNIT
EMR3	Ride-on power trowel wheel transport kit EMR3	FT269019-UNIT



TROWEL BLADES AND PAN FLOATS

Model	Combination Blade	Finishing Blade	Reversible Combination Wide Finishing Blade	Pan Float - Flat	Pan Float - Super Flat
LD6SL	FT269023-UNIT	FT269027-UNIT	FT269024-UNIT	FT269032-UNIT	FT269033-UNIT
MD80	N/A	N/A	FT269058-UNIT	N/A	FT269037-UNIT
MD105	FT269054-UNIT	FT269056-UNIT	FT269055-UNIT	N/A	FT269038-UNIT
HTX6H	N/A	N/A	FT269058-UNIT	N/A	FT269037-UNIT
STX6H	FT269054-UNIT	FT269056-UNIT	FT269055-UNIT	N/A	FT269038-UNIT

For further information and specifications please refer to the MQ Whiteman Trowel Blades and Pan Floats Technical Data Sheet.

*See the Trowel Blades and Pan Floats selection guide on pages 72 - 73.

MQ Whiteman products are only available through authorised dealers in Australia. Go to flextool.com.au/stockists to find your nearest MQ Whiteman authorised dealer.

WHICH RIDER SUITS YOUR NEEDS BEST?



Feature	JWN24 Mechanical Operating Weight: 355 kg Rotor rpm:40-180	HHNG5 Mechanical Operating Weight: 490 kg Rotor rpm: 0-180	LD6SL Hydrostatic Operating Weight: 390 kg Rotor rpm: 0-140	MD80 Hydrostatic Operating Weight: 690 kg Rotor rpm: 0-160
Manoeuvrability	• •	• •	• • •	• • •
Panning – Early Entry	•	•	• • •	• • •
Panning – Tight/Black	•	•	• •	• •
Blades –Combination	• • •	• • •	• • •	• • •
Blades – Finish/Burn	• • •	• • •	•	• •
Serviceability	• •	• •	• • •	• • •



Feature	MD105 Hydrostatic Operating Weight: 835 kg Rotor rpm: 0-140	HTX6H Hydrostatic Operating Weight: 1020 kg Rotor rpm: 0-160	STX6H Hydrostatic Operating Weight: 1135 kg Rotor rpm: 0-130
Manoeuvrability	• • •	• • •	• • •
Panning – Early Entry	• • •	• •	• •
Panning – Tight/Black	• •	• • •	• • •
Blades –Combination	• •	• • •	• •
Blades – Finish/Burn	• •	• • •	• •
Serviceability	• • •	•	•

Key to understanding the comparison:

- (1 dot): **Good** – Suitable for lighter tasks and basic performance.
- • (2 dots): **Great** – Handles medium-duty tasks with more advanced features.
- • • (3 dots): **Best** – Ideal for heavy-duty applications with top-tier performance and minimal downtime.



Flextool Series Trowel Blades and Pan Floats

TROWEL BLADE AND PAN FLOAT SPECIFICATIONS FINISHING AND COMBINATION BLADES

Finishing blades are designed to produce a smooth and polished finish to the concrete surface. After the slab has firmed up, blade pitch is increased to a greater angle resulting in a smooth and polished finish.

Combination blades are designed for operators who wish to use one blade for both floating and finishing applications. During the initial stages of power trowelling the blade is set flat and is used for floating, as the slab firms up the blade pitch is increased to produce a smooth finish.



TROWEL BLADES

Machine Model Compatibility	Rotor Diameter inch (mm)	Blades Per Rotor	Product Code	Product Description	Blade Size (mm)	Blade Size (in)	Blade Weight (kg)	Blades Per Pack		
FP424-2	24 (610)	4	FT220455-UNIT	Trowel Blade Finishing 120 x 230	120 x 230	4.75 x 9	2.20	4	✓	✗
PortaTrowel FPT30	30 (760)	4	FT201533-UNIT	Trowel Blade Combination 150 x 265	150 x 265	6 x 10.5	1.90	4	✓	✗
FT34-2	34 (865)	4	FT201823-UNIT	Trowel Blade Finishing 150 x 325	150 x 325	6 x 12.75	4.70	4	✓	✗
		4	FT201821-UNIT	Trowel Blade Combination 185 x 322	185 x 322	7.25 x 12.50	7.20	4	✓	✗
FP436-2, FP436D, FP440-2, FP836-4	36 (915)	4	FT220414-UNIT	Trowel Blade Finishing 152 x 355	152 x 355	6 x 14	4.80	4	✓	✓
		4	FT220479-UNIT	Trowel Blade Combination 205 x 355	205 x 355	8 x 14	6.00	4	✓	✓
FT40-2	40 (1015)	4	FT201824-UNIT	Trowel Blade Finishing 150 x 375	150 x 375	6x 14.75	5.90	4	✓	✗
		4	FT201822-UNIT	Trowel Blade Combination 196 x 370	195 x 370	7.75 x 14.50	8.30	4	✓	✗
FP446-2, FP1046-4	46 (1165)	4	FT220410-UNIT	Trowel Blade Finishing 152 x 460	152 x 460	6 x 8	6.20	4	✓	✓
		4	FT220480-UNIT	Trowel Blade Combination 205 x 455	205 x 455	8 x 18	8.00	4	✓	✓
		5	FT2WX185-UNIT	Trowel Blade Wide Finishing 210 x 460	210 x 460	8 x 18	12.75	5	✓	✓




PAN FLOATS

Flextool Pan Floats are designed to clip onto both finishing or combination blades. Pan floats, with their large surface area, achieve flatter floors than traditional float blades as they are more efficient in removing imperfections, bumps and voids.



Machine Model Compatibility	Rotor Diameter inch (mm)	Blades Per Rotor	Product Code	Product Description	Pan Float Size (mm)	Pan Float Size (in)	Pan Float Weight (kg)		
FP424-2	24 (610)	4	FT211766-UNIT	Pan Float Standard (24") 4 Blade Clip	605	24	5.00	✓	✗
FP436-2, FP436D, FP836-4	36 (915)	4	FT211691-UNIT	Pan Float Standard (37") 4 Blade Clip	940	37	17.60	✓	✓
FP440-2	40 (1015)	4	FT240PAN-UNIT	Pan Float Standard (41") 4 Blade Clip	1050	41.25	23.30	✓	✗
FP446-2	46 (1165)	4	FT211692-UNIT	Pan Float Standard (48") 4 Blade Clip	1230	48.5	29.40	✓	✓
FP1046-4	46 (1165)	5	FT2H3505-UNIT	Pan Float Standard (46") 5 Blade Pin	1175	46.25	30.00	✗	✓
		5	FT25FLAT-UNIT	Pan Float Flat (46") 5 Blade Pin	1175	46.25	30.00	✗	✓

Kraft Tool Co. Series Trowel Blades



ORANGE THUNDER TROWEL BLADES

Kraft Tool Co Orange Thunder Trowel Blades are designed for finishing concrete projects with walk-behind power trowel machines. Made from advanced, lightweight KO-20™ technology, these blades provide even coverage and do not leave burnish marks. The KO-20™ material is impact resistant for extended wear and the blade won't absorb liquids preventing corrosion and rust, and making them easy to clean. Suitable for use with various brand's walk-behind power trowels, these blades are a popular choice for polished and decorative concrete.

Machine Model Compatibility	Blade Model Number	Product Description	Blade Size (mm)	Blade Size (in)	Blade Weight (kg)	Blades Per Pack			Product Code
Flextool FP436-2, FP436D, FP440-2 MQ Whiteman J36H55, J36H90H	SK100-OT	Orange Thunder Trowel Blade - Finishing	355 x 150	14 x 6	4.0	4	✓	✗	FT4K0113-UNIT
Flextool FP446-2 MQ Whiteman B46H11H, HDA48413H	SK214-OT	Orange Thunder Trowel Blade - Finishing	455 x 150	18 x 6	5.28	4	✓	✗	FT4K0114-UNIT

MQ Whiteman Series Trowel Blades and Pan Floats



TROWEL BLADE AND PAN FLOAT SPECIFICATIONS
FINISHING AND COMBINATION BLADES

MQ Whiteman Trowel Blades are manufactured to the highest standard with premium quality materials for optimum trowelling results.

The MQ Whiteman steel trowel blades feature a superior torque flex steel, providing the most wear-resistant, high-performance trowel blades. These trowel blades are extremely hard wearing and durable, resulting in longer operating life and less blade-change downtime.

Finishing blades are designed to produce a smooth and polished finish to the concrete surface. After the slab has firmed up, blade pitch is increased to a greater angle resulting in a smooth and polished finish.

Combination blades are designed for operators who wish to use one blade for both floating and finishing applications. During the initial stages of power trowelling the blade is set flat and is used for floating, as the slab firms up the blade pitch is increased to produce a smooth finish.

Machine Model Compatibility	Blade Model Number	Product Description	Blade Size (mm)	Blade Size (in)	Blade Weight (kg)	Blades Per Pack			Product Code
CA4HC	C244	Trowel Blade Combination 5 x 9.25 (24") Edger	125 x 235	5 x 9.25	3	4	✓	✗	FT269020-UNIT
J3036H55	30698	Trowel Blade Combination 8 x 10.5 (30") Edger	205 x 265	8 x 10.5	4.5	4	✓	✗	FT269021-UNIT
	30699	Trowel Blade Combination 8 x 14 (36") Edger	205 x 355	8 x 14	6	4			FT269022-UNIT
J36H55, J36H90H JWN24HTCSL, LD6SL	C844	Trowel Blade Combination 8 x 14 (36")	205 x 355	8 x 14	6.25	4	✓	✓	FT269023-UNIT
	RC814	Trowel Blade Combination 8 x 14 (36") Reversible (Wide Finishing)	205 x 355	8 x 14	7.5	4			FT269024-UNIT
	F900	Trowel Blade Finishing 6 x 14 (36")	152 x 355	6 x 14	5.2	4			FT269027-UNIT
B46H11H, HDA48413H HHNG5	C464	Trowel Blade Combination 8 x 18 (46")	205 x 455	8 x 18	8.25	4	✓	✓	FT269025-UNIT
	RC818	Trowel Blade Combination 8 x 18 (46") Reversible (Wide Finishing)	205 x 455	8 x 18	9.5	4			FT269026-UNIT
	F400	Trowel Blade Finishing 6 x 18 (46")	152 x 455	6 x 18	6.75	4			FT269028-UNIT
MD80, HTX6H	C8160	Trowel Blade Combination 8 x 16 (46") Reversible (Wide Finishing)	205 x 405	8 x 16	8.45	4	✗	✓	FT269058-UNIT
MD105, STX6H	C11997	Trowel Blade Combination 8 x 23 (60")	205 x 585	8 x 23	10.55	4	✗	✓	FT269054-UNIT
	RC823	Trowel Blade Combination 8 x 23 (60") Reversible (Wide Finishing)	205 x 585	8 x 23	12.25	4			FT269055-UNIT
	F11990	Trowel Blade Finishing 6 x 23 (60")	152 x 585	6 x 23	8.75	4			FT269056-UNIT

MQ Whiteman products are only available through authorised dealers in Australia. Go to flextool.com.au/stockists to find your nearest MQ Whiteman authorised dealer.

PAN FLOATS

MQ Whiteman Pan Floats are manufactured to the highest standard with premium quality materials for optimum floating results.

The MQ Whiteman Pan Floats feature a superior steel, providing the most wear-resistant, high-performance pan floats. These pan floats are extremely hard wearing and durable, resulting in longer operating life. MQ Whiteman Pan Floats attach onto both finishing and combination blades to create a larger surface area to flatten floors more efficiently, removing any imperfections, bumps and voids.

They are available in two different styles; Flat configuration for use on Walk-Behind Power Trowels and Super Flat for use on Ride-On Power Trowels.



Machine Model Compatibility	Pan Float Model Number	Product Description	Pan Float Size (mm)	Pan Float Size (in)	Pan Float Weight (kg)			Product Code
CA4HC	21550	Pan Float Flat (24") Edger 4-Blade	610	24	5	✓	✗	FT269029-UNIT
J3036H55	30696	Pan Float Flat (30") Edger 4-Blade	765	30	13.5	✓	✗	FT269030-UNIT
	30697	Pan Float Flat (36") Edger 4-Blade	915	36	19			FT269031-UNIT
J36H55, J36H90H JWN24HTCSL, LD6SL	2870	Pan Float Flat (36") Pin 4-Blade	915	36	19	✓	✓	FT269032-UNIT
JWN24HTCSL, LD6SL	11032	Pan Float Super Flat (36") Pin 4-Blade	915	36	19	✗	✓	FT269033-UNIT
B46H11H, HDA48413H	12271	Pan Float Flat (46") Pin 4-Blade	1170	46	28.5	✓	✗	FT269034-UNIT
HHNG5	12272	Pan Float Flat (46") Pin 5-Blade	1170	46	29	✗	✓	FT269035-UNIT
	12093W	Pan Float Super Flat (46") Pin 5-Blade	1170	46	30.25			FT269036-UNIT
MD80, HTX6H	32608W	Pan Float Super Flat (46") Pin 6-Blade	1170	46	28	✗	✓	FT269037-UNIT
MD105, STX6H	11979E	Pan Float Super Flat (60") Pin 6-Blade	1525	60	52.25	✗	✓	FT269038-UNIT

CONCRETE HAND TOOLS

MARBLE SHEEN (POOL) TROWELS

Marble Sheen trowels offer maximum blade flexibility due to their short blade support spine, developed initially for finishing swimming pools these tools can be used in a wide range of applications where a curved finish is required. Constructed using super flexible high carbon steel and available with ProSoft rubber handle for user comfort.

Description	Width mm	Length mm	Spine Length mm	Pack Qty	Product Code
Flextool Marble Sheen Trowel - ProSoft Handle	100	350	160	6	FT4P1021-UNIT
Flextool Marble Sheen Trowel - ProSoft Handle	100	450	160	6	FT4P1022-UNIT



SQUARE TROWELS

Square trowels are used where pointed trowels are not suitable and for general concrete work. Suitable for use on concrete stairs and other vertical applications. Flextool square trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool square trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available with ProSoft rubber grip handles in both closed and open style configurations.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Square Trowel - ProSoft Handle	120	280	6	FT4P1002-UNIT
Flextool Square Trowel - ProSoft Handle	115	405	6	FT4P1081-UNIT



Flextool Square Trowel - ProSoft Open Handle	120	280	6	FT410020-UNIT
Flextool Square Trowel - ProSoft Open Handle	115	405	6	FT410810-UNIT



POINTED TROWELS

Pointed trowels are used for trowelling concrete floors and other general concrete work. The pointed nose of the trowel provides flexibility when trowelling around corners and protrusions in the concrete whilst also reducing marks left in the concrete. Flextool pointed trowels are produced using high carbon steel to optimise blade flexibility and durability. Flextool pointed trowels are also fitted with a single piece forged aluminium spine for extra strength and blade support. Available in both ProSoft rubber grip and solid moulded plastic handles.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Pointed Trowel - Plastic Handle	100	355	6	FT4P1009-UNIT
Flextool Pointed Trowel - Plastic Handle	120	365	6	FT4P1001-UNIT
Flextool Pointed Trowel - Plastic Handle	115	405	6	FT4P1091-UNIT
Flextool Pointed Trowel - Plastic Handle	115	450	6	FT4P1092-UNIT
Flextool Pointed Trowel - Plastic Handle	115	500	6	FT4P1093-UNIT
Flextool Pointed Trowel - Plastic Handle	100	355	6	FT41009P-UNIT
Flextool Pointed Trowel - Plastic Handle	115	405	6	FT41091P-UNIT



STEEL FLOATS

Steel Floats or “Sides Up” trowels as they are sometimes referred to are used for creating a non-slip finish on the concrete surface, also known as a stippled or coved finish. They are also used for trowelling dry shake materials into the top surface of the concrete. Steel floats produce a finer texture to wood floats and are more durable and longer wearing due to their solid steel blade. Available with ProSoft rubber handle for user comfort.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Stainless Steel Float - ProSoft Handle	160	210	6	FT42009S-UNIT
Flextool Stainless Steel Float - ProSoft Handle	100	290	6	FT42029S-UNIT
Flextool Stainless Steel Float - ProSoft Handle	150	380	6	FT42019S-UNIT



WOOD FLOATS

Wood Floats are used for creating a rough non-slip or textured finish on the concrete surface. Used predominately for outdoor areas such as footpaths and other pedestrian traffic applications. Available with ProSoft rubber handle for user comfort.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Wood Float - ProSoft Handle	112	300	6	FT4P8001-UNIT
Flextool Wood Float - ProSoft Handle	112	380	6	FT4P8002-UNIT
Flextool Wood Float - ProSoft Handle	65	600	6	FT4P8024-UNIT

MAGNESIUM FLOATS

Magnesium Floats are used in the early stages of concrete placement for working the concrete and bringing moisture to the surface. They can also be used again in the late stages of concrete finishing to create a fine textured finish similar to a steel or wood float. All Flextool magnesium floats are produced with a broken-in or curved blade and come standard with a ProSoft rubber grip for user comfort.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Magnesium Float - ProSoft Handle	80	405	6	FT4P2051-UNIT
Flextool Magnesium Float - ProSoft Handle	80	510	6	FT4P2052-UNIT

VEE JOINTERS - STEEL

Vee Jointer steel trowels are used to control shrinking and cracking of concrete by inducing cracks to occur at the desired position and in a straight line. Available in ProSoft handle for user comfort.

Description	Width mm	Length mm	Depth mm	Pack Qty	Product Code
Flextool Vee Jointer - ProSoft Handle	75	152	10	6	FT43001S-UNIT
Flextool Vee Jointer - ProSoft Handle	150	175	12	6	FT43002S-UNIT
Flextool Vee Jointer - ProSoft Handle	150	175	20	6	FT43012S-UNIT

CONCRETE EDGERS - BEVEL

Concrete Edger trowels are used to create a smooth finish to slab edges. Available with ProSoft handle for user comfort.

Description	Width mm	Length mm	Angle	Bevel mm	Pack Qty	Product Code
Flextool Edger - ProSoft Handle	100	150	45	25	6	FT44013S-UNIT

CONCRETE EDGERS - BULL NOSE

Concrete Edger Bull Nose trowels are used to create a smooth finish to slab edges. They produce a curved profile finish on the concrete edge to prevent chipping and damage to the concrete. Available with ProSoft handle for user comfort.

Description	Width mm	Length mm	Radius mm	Depth mm	Pack Qty	Product Code
Flextool Edger - ProSoft Handle	75	140	5	12	6	FT44001S-UNIT
Flextool Edger - ProSoft Handle	75	140	6	12	6	FT44002S-UNIT
Flextool Edger - ProSoft Handle	75	140	10	19	6	FT44003S-UNIT
Flextool Edger - ProSoft Handle	75	140	19	19	6	FT44008S-UNIT
Flextool Edger - ProSoft Handle	100	150	6	14	6	FT44006S-UNIT
Flextool Edger - ProSoft Handle	105	150	10	14	6	FT47006S-UNIT
Flextool Edger - ProSoft Handle	112	175	12	22	6	FT47002S-UNIT
Flextool Edger - ProSoft Handle	112	175	25	19	6	FT47003S-UNIT
Flextool Edger - ProSoft Handle	140	200	20	19	6	FT47008S-UNIT
Flextool Edger - ProSoft Handle	150	230	25	24	6	FT47001S-UNIT



CONCRETE SCREED WITH LEVEL VIAL

Flextool Concrete Screeds are made from durable yet lightweight aluminium extrusions. Concrete screeds are used to level the concrete after it has been placed. Flextool screeds are designed with dual cutting edges and clamped handles allowing the screed to be reversed for use on the other side. These screeds are fitted with a level vial to assist with accurate and level screeding, and they are also fitted with plastic end caps and are powder coated for easy cleaning.

Description	Length mm	Pack Qty	Product Code
Flextool Aluminium Concrete Screed	1200	4	FT401807-UNIT
Flextool Aluminium Concrete Screed	1500	4	FT401808-UNIT
Flextool Aluminium Concrete Screed	1800	4	FT401809-UNIT
Flextool Aluminium Concrete Screed	2100	4	FT401810-UNIT
Flextool Aluminium Concrete Screed	2400	4	FT401811-UNIT
Flextool Aluminium Concrete Screed	2700	4	FT401812-UNIT
Flextool Aluminium Concrete Screed	3000	4	FT401813-UNIT
Flextool Aluminium Concrete Screed	3600	4	FT401814-UNIT
Flextool Aluminium Concrete Screed	4200	4	FT401815-UNIT



WALKING TOOLS

Flextool Walking Tools range include Steel Float, Edger and Vee Jointer.

Flextool Steel Float is designed to create a non-slip finish on the concrete surface, also known as a stippled or coved finish, which is common in outdoor paving. It produces a finer texture than wood floats, and is more durable and longer wearing due to its stainless-steel blade. A steel float is sometimes referred to as a 'Sides Up' trowel, due to the steel blade that is turned up all round the edges. Flextool Steel Float can also be used for trowelling dry shake materials into the top surface of the concrete. Flextool Walking Tool Steel Float should be used with Telescopic Extension or Clip-Together Handle.

Flextool Walking Tool Concrete Edger is designed to easily create a smooth finish to the edges of a concrete slab. Used on patios, kerbs, pavements and driveways, it will produce a tighter, cleaner, curved profile finish on the concrete edge to prevent future chipping and damage. Flextool Walking Tool Concrete Edger is made of stainless steel and should be used with Telescopic Extension or Clip-Together Handle.

Flextool Walking Tool Vee Jointer is a stainless-steel trowel used to control shrinking and cracking of concrete. It allows the user to induce cracks or 'dummy joints' to occur at the desired position, and in a straight line. Flextool Walking Tool Vee Jointer should be used with Telescopic Extension or Clip-Together Handle.

Description	Width mm	Length mm	Radius mm	Depth mm	Pack Qty	Product Code
Flextool Walking Tool – Steel Float	160	210	N/A	N/A	6	FT4009SW-UNIT
Flextool Walking Tool – Steel Float	150	380	N/A	N/A	6	FT4019SW-UNIT
Flextool Walking Tool – Edger	112	175	12	22	6	FT4002SW-UNIT
Flextool Walking Tool – Vee Jointer	150	175	N/A	12	6	FT4702SW-UNIT



BULLFLOATS

Flextool Aluminium Bullfloats are used for smoothing the surface of concrete prior to it setting. These bullfloats to be used with Flextool Telescopic or Clip-Together Handles.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Aluminium Bullfloat	150	600	4	FT401801-UNIT
Flextool Aluminium Bullfloat	150	900	4	FT401802-UNIT
Flextool Aluminium Bullfloat	150	1200	6	FT401803-UNIT
Flextool Aluminium Bullfloat	150	1800	4	FT401804-UNIT

FRESNO TROWELS

Flextool Fresno Trowels enable the operator to trowel concrete from a standing position. They have a tilt mechanism which allows easy push and pull motion. Flextool Fresno Trowels should be used with Telescopic Extension or Clip-Together Handle.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Fresno Trowel	115	600	6	FT4FF607-UNIT
Flextool Fresno Trowel	115	900	6	FT4FF609-UNIT

WALKING TROWELS

Flextool Walking Trowel Round Ends enable the operator to trowel concrete in a standing position. Made from strong but lightweight steel, the hinged connection allows for the free movement of the blade angle during use. Flextool Walking Trowels should be used with Telescopic Extension or Clip-Together Handle.

Description	Width (mm)	Length (mm)	Pack Qty	Product Code
Flextool Walking Trowel - Round Ends - Carbon Steel	120	600	6	FT4FW555-UNIT
Flextool Walking Trowel - Round Ends - Stainless Steel	120	600	6	FT4FW557-UNIT

BOLT CUTTERS

Flextool Bolt Cutters feature hardened steel cutting jaws for extended life, and a self-aligning cam mechanism to maintain precise cutter alignment. These long-handled bolt cutters cut down on the need for repeated bending. The soft ergonomic grips and tubular handles give optimum cutting leverage with maximum comfort.

Description	Length mm	Pack Qty	Product Code
Flextool Bolt Cutters	750	5	FT4RW094-UNIT
Flextool Bolt Cutters	900	5	FT4RW095-UNIT

CONCRETE SHOVELS

The Flextool D-Handle Concrete Shovel is designed for moving, loading, mixing and spreading concrete. Made from strong but lightweight steel, the D-Handle grip design eases the load when dragging and spreading concrete.

Description	Length mm	Pack Qty	Product Code
Flextool Steel D - Handle Concrete Shovel	1050	6	FT4HGT75-UNIT
Flextool Steel D - Handle Concrete Shovel	1150	6	FT4RW025-UNIT



KNEELING BOARD

Kneeling boards are for multipurpose use by concreters and flooring contractors and provide comfortable and soft support. They are constructed using dense polyurethane foam and heavy duty polypropylene tray for improved strength.

Description	Width mm	Length mm	Pack Qty	Product Code
Flextool Concrete Kneeling Board	350	490	6	FT410209-UNIT



STANDING BRACKET

The Flextool standing bracket offers a versatile solution for transforming nearly any concrete hand tool into an efficient walking tool. This bracket clamps around the tool's handle and then attaches to an extension handle, allowing for upright operation. For added flexibility, the adaptor's angle can be adjusted as well as be relocated to the opposite end if required.

Description	Pack Qty	Product Code
Flextool Standing Bracket	1	FT40FPSB-UNIT



HANDLES AND ADAPTORS

The Flextool handles and adaptors are compatible with a range of tools, and are easy replaced when required.

Description	Pack Qty	Product Code
Flextool Telescopic Extension Handle	4	FT401805-UNIT
Flextool Telescopic Handle Adaptor 25-32 mm	50	FT401800-UNIT
Flextool Clip-Together Handle 1.8 m	4	FT401806-UNIT
Flextool Replacement Handle - Magnesium and Wood Floats	6	FT42051H-UNIT



FINISHING BROOMS

The Flextool Finishing Broom is designed to create a non-slip finish on the concrete surface. With the medium fibre bristle, it produces a rough broom surface texture which is suitable for use on footpaths and driveways. Flextool Finishing Broom should be used with Telescopic Extension or Clip-Together Handle.

Description	Length mm	Bristle Type	Pack Qty	Product Code
Flextool Finishing Broom	750	Medium	10	FT4B1573-UNIT
Flextool Finishing Broom	900	Medium	10	FT4B1574-UNIT



CONCRETE PLACING RAKES

Flextool lightweight Concrete Placing Rakes are ideal for spreading and placing concrete and any other soft landscaping mediums. Fitted with angled blade for push and pull operation.

Description	Blade Width mm	Length (mm)	Pack Qty	Product Code
Flextool Concrete Placing Rake – Pull Style	500	1650	6	FT4CC011-UNIT
Flextool Concrete Placing Rake – Push / Pull Style	500	1650	6	FT4CC013-UNIT





Elite Series™

POOL TROWELS

The Kraft Tool Co and Kraft Tool Co Elite Series Pool Trowels are designed for the smooth finishing of concrete in swimming pools and other curved surfaces. The high-flex blade offers durability and flexibility, with rounded ends to prevent gouging for a smooth finish. Available in both a short and long shank.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Short Shank	14 (355)	4 (100)	FT4K0024-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Short Shank	16 (405)	4 (100)	FT4K0025-UNIT

Kraft Tool Co Pool Trowel Blue Steel - ProForm Handle Short Shank	14 (355)	3 (75)	FT4K0171-UNIT
Kraft Tool Co Pool Trowel Blue Steel - ProForm Handle Short Shank	14 (355)	4 (100)	FT4K0172-UNIT

Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Short Shank	14 (355)	4 (100)	FT4K0026-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Short Shank	16 (405)	4 (100)	FT4K0027-UNIT

Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	14 (355)	4 (100)	FT4K0028-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	16 (405)	4 (100)	FT4K0029-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	18 (455)	4 (100)	FT4K0030-UNIT

Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	14 (355)	4 (100)	FT4K0031-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	16 (405)	4 (100)	FT4K0032-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	18 (455)	4 (100)	FT4K0033-UNIT



SQUARE TROWELS

The Kraft Tool Co and Kraft Tool Co Elite Series Square Trowels are a general-purpose trowel designed for the smooth finishing of concrete and cement render. Suitable for use on concrete stairs and other vertical applications, it is the trowel for the job where a pointed trowel is not suitable. The high-flex blade offers durability and flexibility, its square ends allow you to finish all the way to the corners.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	14 (355)	4 (100)	FT4K0016-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	16 (405)	4 (100)	FT4K0017-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	18 (455)	4 (100)	FT4K0018-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	20 (510)	5 (125)	FT4K0019-UNIT

Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	14 (355)	4 (100)	FT4K0020-UNIT
Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	16 (405)	4 (100)	FT4K0021-UNIT
Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	18 (455)	4 (100)	FT4K0022-UNIT





POINTED TROWELS

The Kraft Tool Co and Kraft Tool Co Elite Series Pointed Trowels are designed for trowelling concrete floors and other general concrete work. The high-flex blade offers durability and flexibility, with a pointed front for corners and angles and a square back for finishing along edges and corners.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	14 (355)	4 (100)	FT4K0008-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	16 (405)	4-1/2 (115)	FT4K0009-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	18 (455)	4-1/2 (115)	FT4K0010-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	20 (510)	4-1/2 (115)	FT4K0011-UNIT



Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	14 (355)	4 (100)	FT4K0012-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	16 (405)	4-1/2 (115)	FT4K0013-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	18 (455)	4-1/2 (115)	FT4K0014-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	20 (510)	4-1/2 (115)	FT4K0015-UNIT

ROUNDED TROWELS

The Kraft Tool Co and Kraft Tool Co Elite Series Rounded Trowels are designed for trowelling concrete floors and other general concrete work. The high-flex blade offers durability and flexibility, with a rounded front to prevent gouging and a square back for clean finishing along edges and corners.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	14 (355)	4 (100)	FT4K0001-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	16 (405)	4 (100)	FT4K0002-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	18 (455)	4 (100)	FT4K0003-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	20 (510)	5 (125)	FT4K0004-UNIT



Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	14 (355)	4 (100)	FT4K0005-UNIT
Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	16 (405)	4 (100)	FT4K0006-UNIT
Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	18 (455)	4 (100)	FT4K0007-UNIT

MIDGET TROWELS

The Kraft Tool Co Midget Trowel is designed for trowelling concrete in tight spaces like windowsills and small areas. The high-flex blade offers durability and flexibility, with square ends that finish all the way to corners.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Midget Trowel Carbon Steel - ProForm Handle	8 (205)	3 (75)	FT4K0023-UNIT



MAGNESIUM HAND FLOATS

The Kraft Tool Co and Kraft Tool Co Elite Series Magnesium Hand Floats are designed to create a non-slip finish on concrete surfaces, commonly used in outdoor paving. The magnesium blade offers superb floating action with bevelled edges and smooth rounded corners for a “broken-in” feel. The square ends float all the way to the edges and corners, ensuring a smooth and level finish.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Mini Magnesium Hand Float Square - ProForm Handle	7-1/4 (185)	3-1/4 (80)	FT4K0036-UNIT



Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	12 (305)	3-1/4 (80)	FT4K0037-UNIT
Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	16 (405)	3-1/4 (80)	FT4K0038-UNIT
Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	20 (510)	3-1/4 (80)	FT4K0039-UNIT
Kraft Tool Co Magnesium Hand Float Round - ProForm Handle	16 (405)	3-1/4 (80)	FT4K0040-UNIT



Kraft Tool Co Elite Series Magnesium Hand Float Square - Cork Handle	16 (405)	3-1/4 (80)	FT4K0041-UNIT
Kraft Tool Co Elite Series Magnesium Hand Float Square - Cork Handle	20 (510)	3-1/4 (80)	FT4K0042-UNIT



ORANGE THUNDER HAND FLOATS

The Kraft Tool Co Orange Thunder Hand Floats are designed to create a non-slip finish on concrete surfaces. The advanced, lightweight KO-20™ technology allows for seamless motions to quickly bring up bleed water to open up the surface as it levels and smooths. The KO-20™ material is impact resistant for extended wear and the blade won't absorb liquids preventing corrosion and rust, and making them easy to clean.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Orange Thunder Hand Float Square - ProForm Handle	16 (405)	3 (75)	FT4K0034-UNIT
Kraft Tool Co Orange Thunder Hand Float Square - ProForm Handle	20 (510)	3 (75)	FT4K0035-UNIT



RESIN HAND FLOATS

The Kraft Tool Co Resin Hand Float is designed to create a rough texture on concrete surfaces, making it ideal for use with colour hardeners and other decorative concrete applications. The dense, laminated canvas-resin blade wears like magnesium for an extremely long life. The square ends float to edges and corners, ensuring a smooth and level finish.

Description	Product Code
Kraft Tool Co Resin Hand Float - Proform Handle	FT4K0043-UNIT



HAND GROOVERS

The Kraft Tool Co and Kraft Tool Co Elite Series Hand Groovers are designed for controlling shrinking and cracking of concrete. The blade moves smoothly through concrete, creating grooves for a safety tread effect on high traffic areas such as driveways, sidewalks and stairs.

Description	Length inch (mm)	Width inch (mm)	Radius inch (mm)	Depth inch (mm)	Product Code
Kraft Tool Co Safety Groover Stainless Steel - ProForm Handle	6 (150)	5-1/2 (140)	N/A	1/4 (6)	FT4K0057-UNIT



Kraft Tool Co Elite Series Hand Groover Bronze - Cork Handle	6 (150)	4-1/2 (115)	1/4 (6)	1/2 (12.5)	FT4K0058-UNIT
Kraft Tool Co Elite Series Hand Groover Bronze - Cork Handle	6 (150)	4-1/2 (115)	1/4 (6)	3/4 (19)	FT4K0059-UNIT





BEVEL EDGERS

The Kraft Tool Co Bevel Edger is designed to easily create a smooth finish to the edges of a concrete slab. The edger creates a 45 degree radius on the edge of concrete slabs to prevent that edge from chipping with wear.

Description	Length inch (mm)	Width inch (mm)	Angle (degree)	Bevel inch (mm)	Product Code
Kraft Tool Co 45 Degree Bevel Edger Stainless Steel - ProForm Handle	6 (150)	4-3/4 (120)	45	1 (25)	FT4K0056-UNIT



EDGERS

The Kraft Tool Co and Kraft Tool Co Elite Series Edgers are designed for smooth edging on patios, kerbs, pavements and driveways. They produce a tighter, cleaner, curved profile finish on the concrete edge to prevent future chipping and damage.

Description	Length inch (mm)	Width inch (mm)	Radius inch (mm)	Depth inch (mm)	Product Code
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	6 (150)	3 (75)	1/4 (6)	3/8 (9.5)	FT4K0045-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	6 (150)	3 (75)	3/8 (9.5)	1/2 (12.5)	FT4K0046-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	6 (150)	4 (100)	1/4 (6)	3/8 (9.5)	FT4K0047-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	6 (150)	4 (100)	3/8 (9.5)	1/2 (12.5)	FT4K0048-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	6 (150)	4 (100)	1/2 (12.5)	5/8 (16)	FT4K0049-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	8 (205)	6 (150)	1/4 (6)	3/8 (9.5)	FT4K0050-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	8 (205)	6 (150)	1/2 (12.5)	5/8 (16)	FT4K0051-UNIT



Kraft Tool Co Safety Step Edger Stainless Steel - ProForm Handle	6 (150)	4.5 (115)	1/2 (12.5)	5/8 (16)	FT4K0055-UNIT
--	---------	-----------	------------	----------	---------------

Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	6 (150)	3 (75)	1/4 (6)	3/8 (9.5)	FT4K0052-UNIT
Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	6 (150)	4 (100)	3/8 (9.5)	1/2 (12.5)	FT4K0053-UNIT
Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	6 (150)	6 (150)	1/2 (12.5)	5/8 (16)	FT4K0054-UNIT

CORNER STEP TOOLS

The Kraft Tool Co Inside Corner Step Tools are designed to create smooth inside corners on concrete steps and edges. The stainless steel blade moves smoothly along the edge of concrete, ensuring even coverage and a professional finish.

Description	Length inch (mm)	Width inch (mm)	Radius	Depth inch (mm)	Product Code
Kraft Tool Co Inside Corner Step Tool Stainless Steel - ProForm Handle	6 (150)	2-1/2 (65)	1/4 (6)	2-1/2 (65)	FT4K0062-UNIT
Kraft Tool Co Inside Corner Step Tool Stainless Steel - ProForm Handle	6 (150)	2-1/2 (65)	90 degree	2-1/2 (65)	FT4K0063-UNIT



Kraft Tool Co Outside Corner Step Tool Stainless Steel - ProForm Handle	6 (150)	2-1/2 (65)	1/4 (6)	2-1/2 (65)	FT4K0060-UNIT
Kraft Tool Co Outside Corner Step Tool Stainless Steel - ProForm Handle	6 (150)	2-1/2 (65)	90 degree	2-1/2 (65)	FT4K0061-UNIT

CORNER TROWELS

The Kraft Tool Co Corner Trowels are designed to create smooth corners on concrete surfaces. The stainless steel blade moves smoothly along the edge of concrete, ensuring even coverage and a professional finish.

Description	Length inch (mm)	Width inch (mm)	Radius	Depth inch (mm)	Product Code
Kraft Tool Co Inside Corner Trowel Stainless Steel - ProForm Handle	3-1/8 (80)	1 (25)	90 degree	1 (25)	FT4K0064-UNIT
Kraft Tool Co Inside Corner Trowel Stainless Steel - ProForm Handle	4 (100)	2 (50)	90 degree	2 (50)	FT4K0065-UNIT



Kraft Tool Co Outside Corner Trowel Stainless Steel - ProForm Handle	3-1/8 (80)	1 (25)	90 degree	1 (25)	FT4K0066-UNIT
Kraft Tool Co Outside Corner Trowel Stainless Steel - ProForm Handle	4 (100)	2 (50)	90 degree	2 (50)	FT4K0067-UNIT

WALKING EDGERS

The Kraft Tool Co Walking Edgers are designed to create smooth, rounded edges on concrete surfaces, preventing chipping and ensuring a professional finish.

Description	Length inch (mm)	Width inch (mm)	Radius inch (mm)	Depth inch (mm)	Product Code
Kraft Tool Co Walking Edger Stainless Steel	8 (205)	6 (150)	1/4 (6)	3/8 (9.5)	FT4K0081-UNIT
Kraft Tool Co Walking Edger Stainless Steel	10 (255)	6 (150)	1/2 (12.5)	5/8 (16)	FT4K0082-UNIT



WALKING GROOVERS

The Kraft Tool Co Walking Groovers Bronze are designed to cut control joints in concrete, ensuring a smooth and professional finish.

Description	Length inch (mm)	Width inch (mm)	Radius inch (mm)	Depth inch (mm)	Product Code
Kraft Tool Co Walking Groover Bronze	6 (150)	4-1/2 (115)	1/4 (6)	1/2 (12.5)	FT4K0079-UNIT
Kraft Tool Co Walking Groover Bronze	6 (150)	4-1/2 (115)	1/4 (6)	3/4 (19)	FT4K0080-UNIT



MAGNESIUM BULL FLOATS

The Kraft Tool Co Magnesium Bull Floats are expertly engineered to level and smooth large concrete areas. As they open the surface, they release bleed water and embed the aggregate, ensuring a durable finish. The rounded ends prevent gouging, providing a flawless, professional result. These bull floats are compatible with various bracket and handle types.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Magnesium Bull Float Round End - Blade only	36 (915)	8 (205)	FT4K0070-UNIT
Kraft Tool Co Magnesium Bull Float Round End - Blade only	48 (1220)	8 (205)	FT4K0071-UNIT



ORANGE THUNDER BULL FLOATS

The Kraft Tool Co Orange Thunder Bull Floats have advanced, lightweight KO-20™ technology that allows for seamless motions to quickly bring up bleed water to open up the surface as it levels and smooths. The KO-20™ material is impact resistant for extended wear and the blade won't absorb liquids preventing corrosion and rust, and making them easy to clean.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Orange Thunder Bull Float Round End - Blade only	36 (915)	8 (205)	FT4K0072-UNIT
Kraft Tool Co Orange Thunder Bull Float Round End - Blade only	48 (1220)	8 (205)	FT4K0073-UNIT



BIG D BLUE STEEL BULL FLOATS

The Kraft Tool Co Big D Blue Steel Bull Floats produce a super smooth finish without gouging. The heavy-duty anodized aluminium C-channel design provides extra rigidity and flatness.


Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Big D Blue Steel Bull Float Round End - Blade only	36 (915)	12 (305)	FT4K0074-UNIT
Kraft Tool Co Big D Blue Steel Bull Float Round End - Blade only	48 (1220)	12 (305)	FT4K0075-UNIT



WALKING TROWELS

The Kraft Tool Co Walking Trowels are designed for the smooth finishing of large concrete surfaces. The high-quality blade ensures a perfect finish, with round ends that eliminate gouging of concrete. These walking trowels are compatible with various adapters and handle types.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Walking Trowel Round End Carbon Steel - All-Angle Bracket	25 (610)	5 (125)	FT4K0068-UNIT
Kraft Tool Co Walking Trowel Round End Carbon Steel - All-Angle Bracket	36 (915)	5 (125)	FT4K0069-UNIT





CONCRETE PLACING RAKES

The Kraft Tool Co Concrete Placing Rakes are designed to move concrete into place with ease.

Description	Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Concrete Placing Rake All Aluminium - Foam Grip Handle	60 (1525)	19-1/2 (495)	FT4K0100-UNIT
Kraft Tool Co Concrete Placing Rake Steel Blade - Wood Handle	54 (1370)	22-1/2 (570)	FT4K0101-UNIT
Kraft Tool Co Concrete Placing Rake Magnesium Blade - Wood Handle	54 (1370)	19-1/2 (495)	FT4K0102-UNIT
Kraft Tool Co Concrete Placing Rake - Replacement Wood Handle	54 (1370)	N/A	FT4K0103-UNIT

FINISHING BROOMS

The Kraft Tool Co Finishing Brooms are designed for finishing sidewalks and driveways, providing a finish with traction. The broom head lays almost flat against the surface for a smooth finish. The broom can be used by hand or with a clevis handle or adapter.

Description	Length inch (mm)	Product Code
Kraft Tool Co Finishing Broom Soft Nylon	36 (915)	FT4K0083-UNIT
Kraft Tool Co Finishing Broom Weigh-Lite Soft Poly	36 (915)	FT4K0084-UNIT
Kraft Tool Co Finishing Broom Weigh-Lite Soft Poly - Replacement Strip	36 (915)	FT4K0085-UNIT

HANDLES AND ADAPTORS

The Kraft Tool Co Handles and Adaptors are designed for maximum versatility and durability. They are compatible with a wide range of concrete tools, providing a secure and comfortable grip.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Anodized Aluminium Handle	72 (1830)	1-3/4 (45)	FT4K0087-UNIT
Kraft Tool Co Anodized Aluminium Handle	72 (1830)	1-3/8 (35)	FT4K0088-UNIT

Kraft Tool Co Steel Clevis Wood Handle	72 (1830)	N/A	FT4K0093-UNIT
--	-----------	-----	---------------

Kraft Tool Co EZY-Tilt Button Handle Adapter	N/A	N/A	FT4K0094-UNIT
--	-----	-----	---------------

Kraft Tool Co Double Button Clip - 10 Pack	N/A	N/A	FT4K0091-UNIT
Kraft Tool Co Single Button Clip - 10 Pack	N/A	N/A	FT4K0092-UNIT
Kraft Tool Co Clevis Button Handle Adapter	10 (255)	1-3/4 (45)	FT4K0089-UNIT
Kraft Tool Co Clevis Button Handle Adapter	8 (205)	1-3/8 (35)	FT4K0090-UNIT

Kraft Tool Co Tilt Float Bracket Kuncklehead Aluminium - 6 hole	N/A	N/A	FT4K0077-UNIT
Kraft Tool Co Tilt Float Bracket EZY-Tilt Aluminium - 6 hole	N/A	N/A	FT4K0078-UNIT

Kraft Tool Co All-Angle Fresno Bracket	N/A	N/A	FT4K0095-UNIT
--	-----	-----	---------------

FLOAT AND TROWEL HOOKS

The Kraft Tool Co Float and Trowel Hook features strong plastic construction to keep your hand float within arm's reach. This hook attaches to your belt, pants, or back pocket, keeping your hands free while keeping your tools convenient. It can hold hand floats, edgers, groovers, trowels, or other tools needed around the job site.

Description	Length inch (mm)	Width inch (mm)	Product Code
FT4K0043-UNIT	N/A	N/A	FT4K0044-UNIT

EZY-TOTE TOOL CARRIERS

The Kraft Tool Co EZY-Tote Tool Carrier is designed to carry all your finishing tools at once. The carrier features five exterior pockets and four interior pockets, including mesh and flap closure pockets, to organise your tools. It also includes a tape measure holder and straps for long items. The interior is designed to hold four bull float handles securely, with a cut-out opening for the bracket.

Description	Product Code
Kraft Tool Co EZY-Tote Tool Carrier	FT4K0076-UNIT

ROLLER TAMPS

The Kraft Tool Co Roller Tamp is designed for preparing the surface of a slab for a smoother finish. The double rollers depress the aggregate and bring the fat to the surface uniformly, ensuring a quick and efficient leveling process. Additionally, it can create a non-skid surface when rolled over for a final finish.

Description	Length inch (mm)	Diameter inch (mm)	Product Code
Kraft Tool Co Roller Tamp	36 (915)	5 (125)	FT4K0086-UNIT

FLOOR SCRAPERS

The Kraft Tool Co Floor Scrapers Steel are designed to shave all kinds of floor coverings on any type of floor. These strong, rugged, all-steel floor scrapers feature a T-handle for easy gripping, weighted base and an inward tapered blade which focuses the force transfer from the handle to the blade for superior power when scraping.

Description	Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Floor Scraper Steel - T-Handle	54 (1370)	7 (175)	FT4K0096-UNIT
Kraft Tool Co Floor Scraper Steel - T-Handle	54 (1370)	10 (255)	FT4K0097-UNIT
Kraft Tool Co Floor Scraper Steel - Replacement Blade	N/A	7 (175)	FT4K0098-UNIT
Kraft Tool Co Floor Scraper Steel - Replacement Blade	N/A	10 (255)	FT4K0099-UNIT

HEAVY-DUTY PRY BARS

The Kraft Tool Co Heavy-Duty Pry Bars are designed for prying forms, demolition, and other construction jobs. The hardened steel claw features a specifically designed blade angle for easy prying, and the tubular handle provides strong leverage.

Description	Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Heavy-Duty Pry Bar Little John	48 (1220)	3 (75)	FT4K0104-UNIT
Kraft Tool Co Heavy-Duty Pry Bar Big John	57 (1450)	3 (75)	FT4K0105-UNIT





REBAR BENDERS

The Kraft Tool Co Rebar Bender is designed to be strong, lightweight, and simple to use. The welded steel construction ensures durability, and the configuration makes it easy to bend rebar.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Rebar Bender	34 (865)	4 (100)	FT4K0106-UNIT



KNEE BOARDS

The Kraft Tool Co Concrete Knee Board Sliders are designed to provide comfort and protection while working on concrete surfaces. Made from tough, heavy-duty ABS plastic, the rounded edges prevent digging into concrete, and the plastic resists corrosion and provides easy cleanup. The knee pads are made of durable polyurethane and attach securely with adjustable web straps. The knee pads are removable and replaceable for extended use.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Concrete Knee Board Sliders Plastic	30 (760)	10 (255)	FT4K0107-UNIT
Kraft Tool Co Concrete Knee Board Sliders Plastic - Replacement Knee Pads	N/A	N/A	FT4K0108-UNIT



TIE WIRE TOOLS

The Kraft Tool Co Tie Wires are designed to be heavy-duty yet lightweight. The strong construction will not chip, crack, or break. The reel holds wire for twisting around rebar and features an easy-turn handle. It fits on any standard belt loop.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Tie Wire Reel Aluminium	N/A	N/A	FT4K0109-UNIT
Kraft Tool Co Tie Wire Twister - Wood Handle	N/A	N/A	FT4K0110-UNIT



RUBBING BLOCKS

The Kraft Tool Co Concrete Knee Board Sliders are designed to dress down concrete surfaces. The fluted silicon carbide rub brick is on a diagonal, providing sharp edges for stubborn materials and carries away debris. Creates a smooth professional finish on block walls, wet tile, and concrete, especially excess cement from forms.

Description	Length inch (mm)	Width inch (mm)	Block Height inch (mm)	Grit	Product Code
Kraft Tool Co Rubbing Block - Plastic Handle	6 (150)	3 (75)	1 (25)	20	FT4K0111-UNIT
Kraft Tool Co Rubbing Block - Plastic Handle	6 (150)	3 (75)	1 (25)	60	FT4K0112-UNIT



ORANGE THUNDER TROWEL BLADES

The Kraft Tool Co Orange Thunder Trowel Blades are designed for finishing concrete projects with walk-behind power trowel machines. Made from advanced, lightweight KO-20™ technology, these blades provide even coverage and do not leave burnish marks. The KO-20™ material is impact resistant for extended wear and the blade won't absorb liquids preventing corrosion and rust, and making them easy to clean.

Description	Blades per pack	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Orange Thunder Trowel Blade - Finishing	4	14 (355)	6 (150)	FT4K0113-UNIT
Kraft Tool Co Orange Thunder Trowel Blade - Finishing	4	18 (455)	6 (150)	FT4K0114-UNIT



MASONRY
HAND TOOLS



FORGED STEEL

The blade and shank are forged from a single piece of uniquely formulated carbon steel for extra toughness.

FLEXIBILITY

W.Rose features a tapered ground blade for flexibility.

STRENGTH

The forged steel blade and shank offer strength and integrity with no internal voids. Forged steel will not weaken or crack.

HAND POLISHED

Each blade is carefully polished to keep mortar centered on the blade and resist sliding.



SHANK ANGLE

The standard shank angle is specifically balanced to reduce wrist fatigue.

INSPECTION

Every trowel is inspected, keeping in mind the high-quality standards of the W.Rose legacy. They also undergo testing for blade hardness and consistent size.

HANDLE STYLES

These are available in three handle styles: ProForm, Plastic, and Leather. All handles are specifically contoured for a comfortable grip.



PHILADELPHIA BRICK TROWELS

The W.Rose Philadelphia Brick Trowels are designed for holding the most mortar with their square heel, making them popular for use with block. Forged from a single piece of carbon steel, each blade is hand polished to keep mortar centred and resist sliding. The shank angle reduces wrist fatigue, and the tapered ground blade assists flexibility. Each blade is heat tempered for uniform hardness and inspected to meet high W.Rose quality standards.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
W.Rose Philadelphia Brick Trowel - ProForm Handle	12 (305)	6 (150)	5-9/16 (140)	FT4K0118-UNIT
W.Rose Philadelphia Brick Trowel - Plastic Handle	12 (305)	5-1/4 (135)	5-9/16 (140)	FT4K0120-UNIT
W.Rose Philadelphia Brick Trowel - Leather Handle	12 (305)	5-1/2 (140)	5-9/16 (140)	FT4K0121-UNIT



NARROW LONDON BRICK TROWELS

The W.Rose Narrow London Brick Trowels are designed to carry mortar towards the toe of the blade, away from the handle. The narrow diamond blade is perfect for brick and general masonry work. Forged from a single piece of carbon steel, each blade is hand polished to keep mortar centred and resist sliding. The shank angle reduces wrist fatigue, and the tapered ground blade assists flexibility. Each blade is heat tempered for uniform hardness and inspected to meet high W.Rose quality standards.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
W.Rose Narrow London Brick Trowel - ProForm Handle	13 (330)	6 (150)	5-3/8 (135)	FT4K0127-UNIT
W.Rose Narrow London Brick Trowel - Plastic Handle	13 (330)	5-1/4 (135)	5-3/8 (135)	FT4K0129-UNIT
W.Rose Narrow London Brick Trowel - Leather Handle	13 (330)	5-1/2 (140)	5-3/8 (135)	FT4K0130-UNIT



WIDE LONDON BRICK TROWELS

The W.Rose Wide London Brick Trowels are designed to carry mortar towards the toe of the blade, away from the handle. The wide blade holds more mortar, making it popular for stonework and block. Forged from a single piece of carbon steel, each blade is hand polished to keep mortar centred and resist sliding. The shank angle reduces wrist fatigue, and the tapered ground blade assists flexibility. Each blade is heat tempered for uniform hardness and inspected to meet high W.Rose quality standards.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
W.Rose Wide London Brick Trowel - ProForm Handle	12 (305)	6 (150)	5-13/16 (145)	FT4K0123-UNIT
W.Rose Wide London Brick Trowel - Plastic Handle	12 (305)	5-1/4 (135)	5-13/16 (145)	FT4K0125-UNIT
W.Rose Wide London Brick Trowel - Leather Handle	12 (305)	5-1/2 (140)	5-13/16 (145)	FT4K0126-UNIT



AVAILABLE IN THREE PREMIUM HANDLE OPTIONS.
ALL STYLES ARE SPECIALLY CONTOURED FOR A COMFORTABLE GRIP.



ProForm Handle

Plastic Handle

Leather Handle



POINTING TROWELS

The Kraft Tool Co Pointing Trowel is designed for a wide range of masonry tasks, including scraping, digging, mixing, patching, and repair work.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Pointing Trowel - ProForm Handle	5-1/2 (140)	4-1/2 (115)	2-1/2 (65)	FT4K0131-UNIT

MARGIN TROWELS

The Kraft Tool Co Margin Trowel is designed for precision in a variety of masonry tasks, including scraping, digging, mixing, patching, and repair work.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Margin Trowel - ProForm Handle	5 (125)	4-1/2 (115)	2 (50)	FT4K0132-UNIT

GAUGING TROWELS

The Kraft Tool Co Gauging Trowel is designed for mixing and applying mortar with precision.

Description	Blade Length inch (mm)	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Gauging Trowel Steel Blade - ProForm Handle	7 (180)	5-1/8 (130)	3-1/4 (80)	FT4K0133-UNIT

CAULKING TROWELS

The Kraft Tool Co Caulking Trowel is designed for tuckpointing, caulking, and other fine masonry tasks.

Description	Blade Length inch (mm)	Width inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Caulking Trowel - ProForm Handle	6-5/8 (170)	4-1/2 (115)	1/4 (6)	FT4K0134-UNIT
Kraft Tool Co Caulking Trowel - ProForm Handle	6-5/8 (170)	4-1/2 (115)	1/2 (12.5)	FT4K0135-UNIT
Kraft Tool Co Caulking Trowel - ProForm Handle	6-5/8 (170)	4-1/2 (115)	3/4 (19)	FT4K0136-UNIT

BRICK JOINTERS

The Kraft Tool Co Brick Jointers are designed to create the most popular masonry joint. The shape of the tool provides knuckle clearance as you move along the joints.

Description	Length inch (mm)	Jointer Sizes inch (mm)	Product Code
Kraft Tool Co Brick Jointer 1/2 x 5/8"	10-1/2 (265)	1/2 (12.5) 5/8 (16)	FT4K0137-UNIT
Kraft Tool Co Brick Jointer 5/8 x 3/4	10-1/2 (265)	5/8 (16) 3/4 (19)	FT4K0138-UNIT

HUBBARD BRICK JOINTERS

The Kraft Tool Co Hubbard Brick Jointer is designed to create four different joint sizes with one tool. The jointer features a tubular steel blade that can be rotated for even wear.

Description	Length inch (mm)	Jointer Sizes inch (mm)	Product Code
Kraft Tool Co Hubbard Brick Jointer	8-1/2 (215)	1/2 (12.5) 5/8 (16) 3/4 (19) 7/8 (22)	FT4K0139-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	3-1/8 (80)	1/2 (12.5)	FT4K0140-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	3-1/8 (80)	5/8 (16)	FT4K0141-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	3-1/8 (80)	3/4 (19)	FT4K0142-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	3-1/8 (80)	7/8 (22)	FT4K0143-UNIT



SLED RUNNERS

The Kraft Tool Co Half Round Sled Runner is designed for creating smooth, rounded joints in masonry work.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Half Round Sled Runner - ProForm Handle	14 (355)	5/8 (16)	FT4K0144-UNIT



CHISELS

The Kraft Tool Co Tooth Stone Mason's Chisels and Plugging Chisel are designed for cutting through soft stone.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Tooth Stone Mason's Chisel	8-3/4 (220)	1-3/4 (35)	FT4K0145-UNIT
Kraft Tool Co Tooth Stone Mason's Chisel	8-3/4 (220)	2-1/4 (55)	FT4K0146-UNIT
Kraft Tool Co Tooth Stone Mason's Chisel	8-7/8 (225)	2-3/4 (70)	FT4K0147-UNIT



PLUGGING CHISELS

The Kraft Tool Co Plugging Chisel is designed for strength and durability. Forged from well-tempered tool steel, the tapered blade cuts through mortar to clean out joints for tuckpointing and repair work.

Description	Length inch (mm)	Width inch (mm)	Product Code
Kraft Tool Co Plugging Chisel	10 (255)	N/A	FT4K0148-UNIT



UTILITY BRUSHES

The Kraft Tool Co Jumbo Utility Brushes are designed for use on masonry, brick, tile, stone, and more.

Description	Length inch (mm)	Bristle Width inch (mm)	Product Code
Kraft Tool Co Jumbo Utility Brush - Red Wood Handle	11-1/2 (290)	6-1/2 (165)	FT4K0149-UNIT
Kraft Tool Co Plastic Acid Brush - Wood Handle	8-1/2 (215)	3 (75)	FT4K0150-UNIT



MORTAR HOES

The Kraft Tool Co Mortar Hoe is designed to quickly mix up mortar for brick, block, or stonework. The unique design features holes in the blade to help mortar flow and mix for better consistency.

Description	Handle Length inch (mm)	Blade Width inch (mm)	Product Code
Kraft Tool Co Mortar Hoe - Wood Handle	21 (535)	6-1/2 (165)	FT4K0152-UNIT



SKATE WHEEL JOINT RAKERS

The Kraft Tool Co Joint Raker is designed for quickly raking out mortar joints for restoration and repair. The adjustable hardened nail can be moved for the desired depth of joint. The large wheels provide smooth movements along brick and block.

Description	Length inch (mm)	Product Code
Kraft Tool Co Skate Wheel Joint Raker Aluminium	9-1/8 (230)	FT4K0153-UNIT



BRICKLAYER'S HAMMERS

The Kraft Tool Co Bricklayer's Hammer is designed for chipping away at brick, stone, or tile.

Description	Length inch (mm)	Product Code
Kraft Tool Co Bricklayer's Hammer	11-1/4 (285)	FT4K0154-UNIT





LINE LEVELS

The Kraft Tool Co Aluminium Line Level is designed for precision leveling in masonry and construction work.

Description	Length inch (mm)	Product Code
Kraft Tool Co Aluminium Line Level	3 (75)	FT4K0155-UNIT



GROUT BAGS

The Kraft Tool Co Poly-Lined Grout Bag is designed for easy flow of material, ensuring a consistent application. This reusable, easy to clean bag comes ready to use with a moulded tip. This grout bag is excellent for grouting masonry or tile joints, providing a professional finish.

Description	Length inch (mm)	Width inch (mm)	Capacity L (gal)	Product Code
Kraft Tool Co Poly-Lined Grout Bag	23 (584)	13 (330)	4.73 (1.25)	FT4K0151-UNIT



KRAFT TOOL CO AND W.ROSE PRODUCT REGISTER LIST

Product Name	Kraft Tool Co Product Code	Flextool Product Code
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Short Shank	CF437PF	FT4K0024-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Short Shank	CF438PF	FT4K0025-UNIT
Kraft Tool Co Pool Trowel Blue Steel - ProForm Handle Short Shank	CF272BPF	FT4K0171-UNIT
Kraft Tool Co Pool Trowel Blue Steel - ProForm Handle Short Shank	CF277BPF	FT4K0172-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	CF446PF	FT4K0028-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	CF447PF	FT4K0029-UNIT
Kraft Tool Co Pool Trowel Carbon Steel - ProForm Handle Long Shank	CF448PF	FT4K0030-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Short Shank	CFE277BK	FT4K0026-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Short Shank	CFE279BK	FT4K0027-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	CFE736BK	FT4K0031-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	CFE737BK	FT4K0032-UNIT
Kraft Tool Co Elite Series Pool Trowel Blue Steel - Cork Handle Long Shank	CFE738BK	FT4K0033-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	CF217PF	FT4K0016-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	CF222PF	FT4K0017-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	CF227PF	FT4K0018-UNIT
Kraft Tool Co Square Trowel Carbon Steel - ProForm Handle	CF232PF	FT4K0019-UNIT
Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	CFE731BK	FT4K0020-UNIT
Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	CFE732BK	FT4K0021-UNIT
Kraft Tool Co Elite Series Square Trowel Blue Steel - Cork Handle	CFE729BK	FT4K0022-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	CF701PF	FT4K0008-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	CF702PF	FT4K0009-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	CF703PF	FT4K0010-UNIT
Kraft Tool Co Pointed Trowel Carbon Steel - ProForm Handle	CF704PF	FT4K0011-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	CFE701BK	FT4K0012-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	CFE702BK	FT4K0013-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	CFE703BK	FT4K0014-UNIT
Kraft Tool Co Elite Series Pointed Trowel Blue Steel - Cork Handle	CFE704BK	FT4K0015-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	CF284PF	FT4K0001-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	CF285PF	FT4K0002-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	CF286PF	FT4K0003-UNIT
Kraft Tool Co Rounded Trowel Carbon Steel - ProForm Handle	CF288PF	FT4K0004-UNIT
Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	CFE284BK	FT4K0005-UNIT
Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	CFE285BK	FT4K0006-UNIT
Kraft Tool Co Elite Series Rounded Trowel Blue Steel - Cork Handle	CFE286BK	FT4K0007-UNIT
Kraft Tool Co Midget Trowel Carbon Steel - ProForm Handle	PL407PF	FT4K0023-UNIT
Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	CF012PF	FT4K0037-UNIT
Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	CF016PF	FT4K0038-UNIT
Kraft Tool Co Magnesium Hand Float Square - ProForm Handle	CF020PF	FT4K0039-UNIT



Product Name	Kraft Tool Co Product Code	Flextool Product Code
Kraft Tool Co Magnesium Hand Float Round - ProForm Handle	CF076PF	FT4K0040-UNIT
Kraft Tool Co Elite Series Magnesium Hand Float Square - Cork Handle	CFE016K	FT4K0041-UNIT
Kraft Tool Co Elite Series Magnesium Hand Float Square - Cork Handle	CFE020K	FT4K0042-UNIT
Kraft Tool Co Mini Magnesium Hand Float Square - ProForm Handle	CF663PF	FT4K0036-UNIT
Kraft Tool Co Orange Thunder Hand Float Square - ProForm Handle	CF2016PF	FT4K0034-UNIT
Kraft Tool Co Orange Thunder Hand Float Square - ProForm Handle	CF2020PF	FT4K0035-UNIT
Kraft Tool Co Resin Hand Float - Proform Handle	CF505PF	FT4K0043-UNIT
Kraft Tool Co Safety Groover Stainless Steel - ProForm Handle	CF1131PF	FT4K0057-UNIT
Kraft Tool Co Elite Series Hand Groover Bronze - Cork Handle	CFE303K	FT4K0058-UNIT
Kraft Tool Co Elite Series Hand Groover Bronze - Cork Handle	CFE305K	FT4K0059-UNIT
Kraft Tool Co 45 Degree Bevel Edger Stainless Steel - ProForm Handle	CF192PF	FT4K0056-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF163PF	FT4K0045-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF092PF	FT4K0046-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF172PF	FT4K0047-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF173PF	FT4K0048-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF165PF	FT4K0049-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF101PF	FT4K0050-UNIT
Kraft Tool Co Concrete Edger Stainless Steel - ProForm Handle	CF103PF	FT4K0051-UNIT
Kraft Tool Co Safety Step Edger Stainless Steel - ProForm Handle	CF112PF	FT4K0055-UNIT
Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	CFE568K	FT4K0052-UNIT
Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	CFE573K	FT4K0053-UNIT
Kraft Tool Co Elite Series Concrete Edger Blue Steel - Cork Handle	CFE577K	FT4K0054-UNIT
Kraft Tool Co Inside Corner Step Tool Stainless Steel - ProForm Handle	CF126PF	FT4K0062-UNIT
Kraft Tool Co Inside Corner Step Tool Stainless Steel - ProForm Handle	CF122PF	FT4K0063-UNIT
Kraft Tool Co Outside Corner Step Tool Stainless Steel - ProForm Handle	CF125PF	FT4K0060-UNIT
Kraft Tool Co Outside Corner Step Tool Stainless Steel - ProForm Handle	CF121PF	FT4K0061-UNIT
Kraft Tool Co Inside Corner Trowel Stainless Steel - ProForm Handle	PL582PF	FT4K0064-UNIT
Kraft Tool Co Inside Corner Trowel Stainless Steel - ProForm Handle	PL584PF	FT4K0065-UNIT
Kraft Tool Co Outside Corner Trowel Stainless Steel - ProForm Handle	PL592PF	FT4K0066-UNIT
Kraft Tool Co Outside Corner Trowel Stainless Steel - ProForm Handle	PL594PF	FT4K0067-UNIT
Kraft Tool Co Walking Edger Stainless Steel	CC101-01	FT4K0081-UNIT
Kraft Tool Co Walking Edger Stainless Steel	CC125-01	FT4K0082-UNIT
Kraft Tool Co Walking Groover Bronze	CC303-01	FT4K0079-UNIT
Kraft Tool Co Walking Groover Bronze	CC305-01	FT4K0080-UNIT
Kraft Tool Co Magnesium Bull Float Round End - Blade only	CC736-01	FT4K0070-UNIT
Kraft Tool Co Magnesium Bull Float Round End - Blade only	CC803-01	FT4K0071-UNIT
Kraft Tool Co Orange Thunder Bull Float Round End - Blade only	CC2020RE	FT4K0072-UNIT
Kraft Tool Co Orange Thunder Bull Float Round End - Blade only	CC2021RE	FT4K0073-UNIT

Product Name	Kraft Tool Co Product Code	Flextool Product Code
Kraft Tool Co Big D Blue Steel Bull Float Round End - Blade only	CC748-01	FT4K0074-UNIT
Kraft Tool Co Big D Blue Steel Bull Float Round End - Blade only	CC750-01	FT4K0075-UNIT
Kraft Tool Co Walking Trowel Round End Carbon Steel - All-Angle Bracket	CC849	FT4K0068-UNIT
Kraft Tool Co Walking Trowel Round End Carbon Steel - All-Angle Bracket	CC851	FT4K0069-UNIT
Kraft Tool Co Concrete Placing Rake All Aluminium - Foam Grip Handle	CC964	FT4K0100-UNIT
Kraft Tool Co Concrete Placing Rake Steel Blade - Wood Handle	CC010	FT4K0101-UNIT
Kraft Tool Co Concrete Placing Rake Magnesium Blade - Wood Handle	CC113	FT4K0102-UNIT
Kraft Tool Co Concrete Placing Rake - Replacement Wood Handle	CC107	FT4K0103-UNIT
Kraft Tool Co Finishing Broom Soft Nylon	CC457	FT4K0083-UNIT
Kraft Tool Co Finishing Broom Weigh-Lite Soft Poly	CC156	FT4K0084-UNIT
Kraft Tool Co Finishing Broom Weigh-Lite Soft Poly - Replacement Strip	CC157	FT4K0085-UNIT
Kraft Tool Co Anodised Aluminium Handle	CC289SB	FT4K0087-UNIT
Kraft Tool Co Anodised Aluminium Handle	CC336B	FT4K0088-UNIT
Kraft Tool Co EZY-Tilt Button Handle Adapter	CC295	FT4K0094-UNIT
Kraft Tool Co Clevis Button Handle Adapter	CC284	FT4K0089-UNIT
Kraft Tool Co Clevis Button Handle Adapter	CC332	FT4K0090-UNIT
Kraft Tool Co Double Button Clip - 10 Pack	CC289-01	FT4K0091-UNIT
Kraft Tool Co Single Button Clip - 10 Pack	CC336-01	FT4K0092-UNIT
Kraft Tool Co Tilt Float Bracket Kuncklehead Aluminium - 6 hole	CC296	FT4K0077-UNIT
Kraft Tool Co Tilt Float Bracket EZY-Tilt Aluminium - 6 hole	CC294	FT4K0078-UNIT
Kraft Tool Co All-Angle Fresno Bracket	CC298	FT4K0095-UNIT
Kraft Tool Co Steel Clevis Wood Handle	CC266	FT4K0093-UNIT
Kraft Tool Co Float and Trowel Hook	CF011	FT4K0044-UNIT
Kraft Tool Co EZY-Tote Tool Carrier	CC1001	FT4K0076-UNIT
Kraft Tool Co Roller Tamp	CC952B	FT4K0086-UNIT
Kraft Tool Co Floor Scraper Steel - T-Handle	GG393	FT4K0096-UNIT
Kraft Tool Co Floor Scraper Steel - T-Handle	GG397	FT4K0097-UNIT
Kraft Tool Co Floor Scraper Steel - Replacement Blade	GG394	FT4K0098-UNIT
Kraft Tool Co Floor Scraper Steel - Replacement Blade	GG395	FT4K0099-UNIT
Kraft Tool Co Heavy-Duty Pry Bar Little John	GG631	FT4K0104-UNIT
Kraft Tool Co Heavy-Duty Pry Bar Big John	GG630	FT4K0105-UNIT
Kraft Tool Co Rebar Bender	GG629	FT4K0106-UNIT
Kraft Tool Co Concrete Knee Board Sliders Plastic	CC153	FT4K0107-UNIT
Kraft Tool Co Concrete Knee Board Sliders Plastic - Replacement Knee Pads	WL080	FT4K0108-UNIT
Kraft Tool Co Tie Wire Reel Aluminium	GG311	FT4K0109-UNIT
Kraft Tool Co Tie Wire Twister - Wood Handle	GG310	FT4K0110-UNIT
Kraft Tool Co Rubbing Block - Plastic Handle	CF283	FT4K0111-UNIT
Kraft Tool Co Rubbing Block - Plastic Handle	CF282	FT4K0112-UNIT



Product Name	Kraft Tool Co and W.Rose Product Code	Flextool Product Code
Kraft Tool Co Orange Thunder Trowel Blade - Finishing	SK100-OT	FT4K0113-UNIT
Kraft Tool Co Orange Thunder Trowel Blade - Finishing	SK214-OT	FT4K0114-UNIT
W.Rose Philadelphia Brick Trowel - ProForm Handle	R0110-12SH	FT4K0118-UNIT
W.Rose Philadelphia Brick Trowel - Plastic Handle	R01410-12	FT4K0120-UNIT
W.Rose Philadelphia Brick Trowel - Leather Handle	R0310-12	FT4K0121-UNIT
W.Rose Wide London Brick Trowel - ProForm Handle	R0112-12SH	FT4K0123-UNIT
W.Rose Wide London Brick Trowel - Plastic Handle	R01412-12	FT4K0125-UNIT
W.Rose Wide London Brick Trowel - Leather Handle	R0312-12	FT4K0126-UNIT
W.Rose Narrow London Brick Trowel - ProForm Handle	R0116-13SH	FT4K0127-UNIT
W.Rose Narrow London Brick Trowel - Plastic Handle	R01416-13	FT4K0129-UNIT
W.Rose Narrow London Brick Trowel - Leather Handle	R0316-13	FT4K0130-UNIT
Kraft Tool Co Pointing Trowel - ProForm Handle	GG422PF	FT4K0131-UNIT
Kraft Tool Co Margin Trowel - ProForm Handle	GG432PF	FT4K0132-UNIT
Kraft Tool Co Gauging Trowel Steel Blade - ProForm Handle	GG443PF	FT4K0133-UNIT
Kraft Tool Co Caulking Trowel - ProForm Handle	BL762PF	FT4K0134-UNIT
Kraft Tool Co Caulking Trowel - ProForm Handle	BL764PF	FT4K0135-UNIT
Kraft Tool Co Caulking Trowel - ProForm Handle	BL766PF	FT4K0136-UNIT
Kraft Tool Co Brick Jointer 1/2" x 5/8"	BL261	FT4K0137-UNIT
Kraft Tool Co Brick Jointer 5/8" x 3/4"	BL262	FT4K0138-UNIT
Kraft Tool Co Hubbard Brick Jointer	BL280	FT4K0139-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	BL281	FT4K0140-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	BL282	FT4K0141-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	BL283	FT4K0142-UNIT
Kraft Tool Co Hubbard Jointer - Replacement Blade	BL284	FT4K0143-UNIT
Kraft Tool Co Half Round Sled Runner - ProForm Handle	BL216PF	FT4K0144-UNIT
Kraft Tool Co Tooth Stone Mason's Chisel	BL413	FT4K0145-UNIT
Kraft Tool Co Tooth Stone Mason's Chisel	BL414	FT4K0146-UNIT
Kraft Tool Co Tooth Stone Mason's Chisel	BL415	FT4K0147-UNIT
Kraft Tool Co Plugging Chisel	BL576	FT4K0148-UNIT
Kraft Tool Co Jumbo Utility Brush - Red Wood Handle	BL526	FT4K0149-UNIT
Kraft Tool Co Plastic Acid Brush - Wood Handle	BL119	FT4K0150-UNIT
Kraft Tool Co Mortar Hoe - Wood Handle	BC229	FT4K0152-UNIT
Kraft Tool Co Skate Wheel Joint Raker Aluminium	BL210	FT4K0153-UNIT
Kraft Tool Co Bricklayer's Hammer	BL256	FT4K0154-UNIT
Kraft Tool Co Aluminium Line Level	SLSC55	FT4K0155-UNIT
Kraft Tool Co Poly-Lined Grout Bag	WL010	FT4K0151-UNIT

Flextool Brick and Masonry Saw

The Flextool Brick and Masonry Saw FBS-36E offers high precision cutting of bricks and building blocks. A mitre guide and locking mechanism allows for customised and precise cutting on a wide range of angles. Designed with a trolley equipped with pneumatic wheels and handles for easy set up and manoeuvrability. User safety is at the core of its design with debris and blade guards and water flow control system for dust suppression.

This product is eligible for the Flextool Promise.



Blades sold separately.

Model	Max Blade Size mm (in)	Max Cutting Depth mm (in)	Max Cutting Length mm (in)	Operating Weight kg (lb)	Lifting Hook	Voltage V/Hz	Max Current A	Power Output kW	Power Output hp	Product Code
FBS-36E	350 (14)	125 (5)	500 (19.7)	110 (330)	Yes	240 50/60	10	1.7	2.3	FT109503-UNIT



Mikasa Floor and Road Saw

The Mikasa Floor and Road Saw MCD-T18H-PLUS sets the standard in precision cutting. Featuring a Honda GX390 engine with cyclonic air filtration system and anti-vibration adjustable handle, it ensures optimum performance and operator comfort. The uniquely designed water pump injection system prevents loss of water pressure and provides consistent water flow for effective dust suppression, while a cutting depth gauge and superior power transmission enhance cutting accuracy. This saw is ideal for a variety of cutting applications in concrete and asphalt.

This product is eligible for the Flextool Promise.

Anti-vibration and adjustable handle

- Low vibration handle for reduced hand and arm vibration transfer to the operator
- Height-adjustable handle for improved operator comfort

Engine hour meter and tachometer

Efficiently manage service intervals

50 Litre integrated water tank

Large integrated water tank for extended operation

Safety brake

Easy to operate foot brake to prevent unwanted movement during operation and transport

Water pump injection system

Uniquely designed water injection system which provides consistent water application, ensuring no loss of water pressure throughout the entire cutting process for superior dust suppression

Cutting depth gauge with lock

Equipped with depth control cutting gauge and locking mechanism to ensure precise and accurate cutting and enhance operator safety

Lifting hook

Central lifting hook for easy and safe onsite handling

Cyclonic air filtration system

For superior air filtration to lengthen service intervals and improve engine protection

Honda GX390 engine

Provides hassle free operation and low engine emissions

Superior power transmission

Special wide profile banded drive belt for maximum power transfer to the cutting blade

Sealed pulley and belt guard

Protects against the ingress of dust and other unwanted materials that can prematurely wear out pulley and drive belt components

Blade guard

Fully removable, ultra-lightweight aluminium blade guard for quick and easy access when changing blades



POWERED by HONDA

Blades sold separately.

Model	Operating Weight (kg)	Blade Size mm (in)	Max Cutting Depth (mm)	Lifting Hook	Water Tank Capacity (L)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
MCD-T18H-PLUS	133	460 (18")	170	Yes	50	Honda	GX390	13		FT201693-UNIT



Flextool BladeTec® Diamond Blades

The Flextool BladeTec Diamond Blade range is designed to the highest standards and for the rigors of commercial and contractor use. The diamond blade range is suitable for a wide range of construction conditions and have been manufactured to endure even the most demanding cutting applications. The Flextool BladeTec Diamond Blade range features high grade steel cores for distortion prevention, high diamond concentration for faster cutting and large segment profiles for longer-lasting performance.



COLOUR GUIDE

- COMBINATION SEGMENTED RIM
- CONCRETE SEGMENTED TURBO RIM
- ASPHALT SEGMENTED TURBO RIM
- BRICK SEGMENTED TURBO RIM
- ALL CUT
- TURBO RIM
- TURBO RIM - ABRASIVE
- CONTINUOUS RIM
- V-SEGMENT
- TUCK SEGMENT
- EARLY CUT
- BLADE SPACER

SUITABILITY GUIDE



Flextool BladeTec Diamond Blade Selection Guide

The table below can be used as a guide to select the appropriate blade for the various applications.

Blade Type	Asphalt	Turbo Abrasive	Early Cut	Combination	Concrete	Turbo	Brick	All Cut	V-Segment	Tuck Segment	Continuous
Segment Type											
Hard Bonds											
Materials											
Abrasive Materials	Asphalt	✓✓	✓✓	✓✓				✓			
	Green concrete	✓✓	✓✓	✓✓				✓			
	Concrete pavers	✓	✓✓	✓✓		✓		✓			
	Sandstone	✓	✓	✓✓		✓✓		✓			
	Limestone			✓	✓	✓✓		✓			
	Reinforced concrete			✓	✓✓	✓✓		✓	✓✓	✓✓	
	Slate				✓	✓	✓	✓			
	Clay brick					✓✓	✓✓	✓			✓
	Ceramic					✓					✓✓
	Marble										✓✓
	Granite										✓✓
Hard Materials											

Most Suited ✓✓ Suited ✓

COMBINATION SEGMENTED RIM

Faster cutting – High diamond concentration
 “Pattern Segment”
Longer-lasting – Extra segment height
Distortion prevention – High grade steel core
Debris clearing – Key hole gullets
Enhanced durability – Undercut protection segment

- Suitable for**
- Concrete Pavers
 - Reinforced Concrete
 - Green Concrete
 - Asphalt
- Compatible with**
- Brick Saw
 - Handheld Saw
 - Floor Saw



Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm				Product Code
Flextool BladeTec Diamond Blade – Combination – Segmented Rim	320 (12)	25.4 (1)	15 (0.590)	6,300	✓	✓	✓	FT102309-UNIT
Flextool BladeTec Diamond Blade – Combination – Segmented Rim	360 (14)	25.4 (1)	15 (0.590)	5,460	✓	✓	✓	FT102310-UNIT
Flextool BladeTec Diamond Blade – Combination – Segmented Rim	410 (16)	25.4 (1)	15 (0.590)	4,725		✓	✓	FT102311-UNIT
Flextool BladeTec Diamond Blade – Combination – Segmented Rim	460 (18)	25.4 (1)	15 (0.590)	3,395			✓	FT102312-UNIT
Flextool BladeTec Diamond Blade – Combination – Segmented Rim	520 (20)	25.4 (1)	15 (0.590)	3,055			✓	FT102313-UNIT

CONCRETE SEGMENTED TURBO RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Distortion prevention – High grade steel core
Debris clearing – Keyhole gullets

- Suitable for**
- Reinforced Concrete
 - Concrete Pavers
- Compatible with**
- Brick Saw
 - Handheld Saw
 - Floor Saw



Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm				Product Code
Flextool BladeTec Diamond Blade – Concrete – Segmented Turbo Rim	350 (14)	25.4 (1)	15 (0.590)	5,460	✓	✓	✓	FT102306-UNIT
Flextool BladeTec Diamond Blade – Concrete – Segmented Turbo Rim	415 (16)	25.4 (1)	15 (0.590)	4,725		✓	✓	FT102307-UNIT
Flextool BladeTec Diamond Blade – Concrete – Segmented Turbo Rim	450 (18)	25.4 (1)	15 (0.590)	3,395			✓	FT102308-UNIT

ASPHALT SEGMENTED TURBO RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Distortion prevention – High grade steel core
Debris clearing – Keyhole gullets
Enhanced durability – Undercut protection

- Suitable for**
- Asphalt
 - Green Concrete
 - Concrete Pavers
- Compatible with**
- Brick Saw
 - Handheld Saw
 - Floor Saw



Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm				Product Code
Flextool BladeTec Diamond Blade – Asphalt – Segmented Turbo Rim	350 (14)	25.4 (1)	15 (0.590)	5,460	✓	✓	✓	FT102314-UNIT
Flextool BladeTec Diamond Blade – Asphalt – Segmented Turbo Rim	400 (16)	25.4 (1)	15 (0.590)	4,725		✓	✓	FT102315-UNIT
Flextool BladeTec Diamond Blade – Asphalt – Segmented Turbo Rim	450 (18)	25.4 (1)	15 (0.590)	3,395			✓	FT102316-UNIT

BRICK SEGMENTED TURBO RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Distortion prevention – High grade steel core
Debris clearing – Keyhole gullets

- Suitable for**
- Brick
 - Reinforced Concrete
 - Limestone
 - Slate
 - Sandstone
- Compatible with**
- Brick Saw
 - Handheld Saw



Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Brick – Segmented Turbo Rim	350 (14)	25.4 (1)	15 (0.590)	5,460	✓	✓	FT102304-UNIT
Flextool BladeTec Diamond Blade – Brick (Silent) – Segmented Turbo Rim	350 (14)	25.4 (1)	15 (0.590)	5,460	✓		FT102305-UNIT

ALL CUT

Multi-purpose cutting
Superior heat resistance – Vacuum bonded diamonds
Distortion prevention – High grade steel core

- Suitable for**
- Concrete
 - Masonry
 - Wood
 - Plastic
 - PVC
 - Steel
- Compatible with**
- Handheld Saw




Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm		Product Code
Flextool BladeTec Diamond Blade – All Cut	355 (14)	25.4 (1)	12 (0.472)	5,460	✓	FT102317-UNIT

TURBO RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Distortion prevention – High grade steel core
Debris clearing – Keyhole gullets
Enhanced durability – Undercut protection

- Suitable for**
- Concrete
 - Asphalt
 - Brick
 - Limestone
 - Slate
 - Sandstone
- Compatible with**
- Angle Grinder
 - Tile Saw



Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Turbo Rim	105 (4)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	15,000	✓		FT102324-UNIT
Flextool BladeTec Diamond Blade – Turbo Rim	125 (5)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	12,000	✓		FT102325-UNIT
Flextool BladeTec Diamond Blade – Turbo Rim	180 (7)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	8,730	✓	✓	FT102326-UNIT
Flextool BladeTec Diamond Blade – Turbo Rim	230 (9)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	6,790	✓	✓	FT102327-UNIT

TURBO RIM - ABRASIVE

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Abrasive materials – Segmented turbo rim
Undercut protection – Extended side segment

Suitable for
 • Concrete Pavers
 • Green Concrete
 • Asphalt
 • Sandstone

Compatible with
 • Angle Grinder
 • Early Entry
 Concrete Saw

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Turbo Rim – Abrasive	230 (9)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	6,790	✓	✓	FT102322-UNIT

CONTINUOUS RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Precision cutting – Reduced chipping

Suitable for
 • Ceramic Tiles
 • Marble
 • Granite
 • Terracotta

Compatible with
 • Angle Grinder
 • Tile Saw

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Continuous Rim	105 (4)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	5,460	✓		FT102319-UNIT
Flextool BladeTec Diamond Blade – Continuous Rim	125 (5)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	4,725	✓		FT102320-UNIT
Flextool BladeTec Diamond Blade – Continuous Rim	180 (7)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	3,395	✓	✓	FT102321-UNIT

TURBO RIM - ABRASIVE

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Abrasive materials – Segmented turbo rim
Undercut protection – Extended side segment

Suitable for
 • Concrete Pavers
 • Green Concrete
 • Asphalt
 • Sandstone

Compatible with
 • Angle Grinder
 • Early Entry
 Concrete Saw

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Turbo Rim – Abrasive	230 (9)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	6,790	✓	✓	FT102322-UNIT

Environment



DRY USE



Environment



WET OR DRY USE



Environment



DRY USE



CONTINUOUS RIM

Faster cutting – High diamond concentration
Longer-lasting – Extra segment height
Precision cutting – Reduced chipping

Suitable for
 • Ceramic Tiles
 • Marble
 • Granite
 • Terracotta

Compatible with
 • Angle Grinder
 • Tile Saw

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm			Product Code
Flextool BladeTec Diamond Blade – Continuous Rim	105 (4)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	5,460	✓		FT102319-UNIT
Flextool BladeTec Diamond Blade – Continuous Rim	125 (5)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	4,725	✓		FT102320-UNIT
Flextool BladeTec Diamond Blade – Continuous Rim	180 (7)	22.2 - 15.9 (0.874 - 0.625)	7 (0.275)	3,395	✓	✓	FT102321-UNIT

Environment



WET OR DRY USE



V-SEGMENT

Crack chasing – V-segment
Longer-lasting – Larger segment profile
Superior durability – Thick steel core

Suitable for
 • Crack Chasing

Compatible with
 • Angle Grinder

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm		Product Code
Flextool BladeTec Diamond Blade – V-Segment	100 (4)	22.2 - 15.9 (0.874 - 0.625)	12 (0.472)	15,000	✓	FT102328-UNIT
Flextool BladeTec Diamond Blade – V-Segment	125 (5)	22.2 - 15.9 (0.874 - 0.625)	12 (0.472)	12,000	✓	FT102329-UNIT
Flextool BladeTec Diamond Blade – V-Segment	180 (7)	22.2 - 15.9 (0.874 - 0.625)	12 (0.472)	8,730	✓	FT102330-UNIT

Environment



DRY USE



TUCK SEGMENT

Joint cleaning – Super-wide segment
Longer-lasting – Larger segment profile
Superior durability – Thick steel

Suitable for
 • Mortar Joints

Compatible with
 • Angle Grinder

Description	Blade Diameter mm (in)	Arbour Size mm (in)	Segment Height mm (in)	Max rpm		Product Code
Flextool BladeTec Diamond Blade – Tuck Segment	105 (4)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	15,000	✓	FT102331-UNIT
Flextool BladeTec Diamond Blade – Tuck Segment	125 (5)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	12,000	✓	FT102332-UNIT
Flextool BladeTec Diamond Blade – Tuck Segment	180 (7)	22.2 - 15.9 (0.874 - 0.625)	10 (0.393)	8,730	✓	FT102333-UNIT

Environment



DRY USE



EARLY CUT



Same day cutting – Green concrete
Superior durability – Hard bond segment
Precision cutting – Reduced chipping

Suitable for
• Green Concrete

Compatible with
• Early Entry
Concrete Saw

Environment

DRY USE

Description	Blade Diameter mm (in)	Segment Height mm (in)	Max rpm		Product Code
Flextool BladeTec Diamond Blade – Early Cut Anti-ravel skid plate included with blade	150 (6)	12 (0.472)	10,185		FT102323-UNIT



BLADE SPACER

Reduce bore size – to suit 20 mm blade spindles

Description	Blade Diameter mm (in)	Product Code
Flextool BladeTec Diamond Blade– Blade Spacer	25.4 -20 (1 - 0.787)	FT102318-UNIT



Smith Performance Sprayers Multi-Use Handheld Sprayer SMU-1.5

The Smith Performance Sprayers Multi-Use Handheld Sprayer SMU-1.5 has been built with ease of use and durability at its core. This handheld sprayer is fitted with adjustable brass nozzle, chemical resistant seals and pressure release valve, for reliable continuous spraying. The weighted pick-up hose assures even the last drops of liquid in the tank are used, at every angle.

This small but powerful little unit is extremely versatile and a must-have in every household and trades repertoire. The heavy-duty components make this sprayer suitable for use with a wide range of chemicals commonly used in industries such as cleaning, construction, turf and agriculture, pest control and many more.



Smith Performance Sprayers Multi-Use Sprayer SMU-8

The Smith Performance Sprayers Multi-Use Sprayer SMU-8 is a professional grade sprayer built to handle a wide range of spraying applications.

This general-purpose sprayer is fitted with chemical resistant seals and heavy-duty components making it suitable for use with a wide range of chemicals commonly used in industries such as cleaning, construction, turf and agriculture, pest control and many more.



Smith Performance Sprayers Industrial Concrete Sprayer S103E

The Smith Performance Sprayers Industrial Concrete Sprayer S103E is built to withstand harsh chemicals and is targeted towards contractor or construction work with ease of use and durability at its core. This stainless steel sprayer is fitted with chemical resistant seals and brass components specially designed for contact with acetone, xylene, bond breakers, curing compounds and other concrete chemicals.



Smith Performance Sprayers

Heavy-Duty Backpack Sprayer S3E-V

The Smith Performance Sprayers Heavy-Duty Backpack Sprayer is a multi-use professional sprayer that combines versatility and performance. Equipped with an 18 V lithium-ion battery and FLOIQ™ variable flow technology, this powerful unit can pump up to 190 Litres of liquid per charge whilst maintaining consistency throughout each application.

With ease of use and durability at its core, this sprayer includes a heavy-duty, kink-resistant hose, poly-lined stainless steel wand and ergonomic padded harness. Its triple filtration system will reduce potential clogging, allowing for continuous operation.

This backpack sprayer is fitted with chemical resistant seals and heavy-duty components making it suitable for use with a wide range of chemicals commonly used in industries such as cleaning, construction, turf and agriculture, pest control and many more.

Viton seals
Chemical resistant seals for extended operating life

Heavy-duty hose system
1.25 metre heavy-duty reinforced hose with brass swivel connections to prevent kinking

Sealed battery compartment

- Provides water resistance and protection for critical components
- Standard charger included

FLOIQ™ variable flow technology

- Adjustable flow rate for consistent and repeatable application of a wide range of liquids
- 15 litre tank capacity

Deluxe padded harness and waist belt
Provides user comfort for all day use

Poly-lined stainless steel wand

- Durable and corrosion resistant
- Equipped with a range of nozzles

Battery and pump operated

- 18 V lithium-ion battery and pump system provides consistent spraying pressure
- Pumps up to 190 litres of liquid per charge



SMITH PERFORMANCE SPRAYER RANGE



Multi-Use Handheld Sprayer SMU-1.5



Multi-Use Sprayer SMU-8




Industrial Concrete Sprayer S103E




Heavy-Duty Backpack Sprayer S3E-V


Model	Tank Capacity L	Hose / Wand Length mm	Seals	Nozzle Type	Weight kg	Operation	Product Code
Multi-Use Handheld Sprayer SMU-1.5	1.5	N/A	Viton	Brass Adjustable	0.5	Manual hand pump	FT211502-UNIT
Multi-Use Sprayer SMU-8	8	1250 / 600	Viton	Brass Adjustable Poly T-Jet Wide Fan Poly T-Jet Narrow Fan Poly Jet Stream Poly Foaming	1.9	Manual hand pump	FT211501-UNIT
Industrial Concrete Sprayer S103E	13.25	1250 / 600	Viton	Brass T-Jet Wide Fan	6.1	Manual hand pump	NP700096-UNIT
Heavy-Duty Backpack Sprayer S3E-V	15	1250 / 600	Viton	Brass Adjustable Poly T-Jet Wide Fan Poly T-Jet Narrow Fan Poly Jet Stream Poly Foaming	7.9	18 V battery and pump	FT211500-UNIT



Nozzle types



Deluxe padded harness



ADJUSTABLE BRASS MAX VOLUME FAN (BROWN) LOW VOLUME WIDE FAN (RED) LOW VOLUME NARROW FAN (YELLOW) JET STREAM FOAMING HIGH VOLUME FOAMING

MQ Whiteman Chemical Spraying System (Mobile Cart)

The MQ Whiteman Chemical Spraying System WSC55 is a superior spraying system designed around mobility and efficiency. The durable cart allows for optimum onsite manoeuvrability whilst carrying up to 200 Litres of material. Featuring a powerful Honda GX160 engine, quick-connect hose fittings and sloped chemical platform, this unit offers various time and cost savings. A small built-in compressor allows the operator to clear and reuse the leftover product in the hose that would normally be discarded, greatly reducing maintenance and waste.

This product is eligible for the Flextool Promise.



Model	Operating Weight (kg)	Litres Per Minute	PSI	Solids Capacity	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
WSC55	131	26.5	125	25%	Honda	GX160	5.5	P	FT269039-UNIT

EXTENSION HOSE ASSEMBLY

Model	Length (m)	Product Code
SH150	45	FT269041-UNIT




WSC55
Drum size variations

MQ Whiteman products are only available through authorised dealers in Australia. Go to flextool.com.au/stockists to find your nearest MQ Whiteman authorised dealer.

MQ Whiteman Chemical Spraying System (Barrel Mount)

The MQ Whiteman Chemical Spraying System WSC55BM is a powerful spraying system designed to securely attach to a 200 Litre drum. It features a strong, lightweight frame design, Honda GX160 engine and heavy-duty pump. The quick-connect hose fittings allow for simple and fast set up and disassembly. Engineered around durability and efficiency, this unit is ideal for a wide range of industries and applications.

This product is eligible for the Flextool Promise.



Model	Operating Weight (kg)	Litres Per Minute	PSI	Solids Capacity	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
WSC55BM	37	26.5	125	25%	Honda	GX160	5.5	P	FT269040-UNIT

EXTENSION HOSE ASSEMBLY

Model	Length (m)	Product Code
SH150	45	FT269041-UNIT



WSC55BM
Barrel mounted



Flextool PortaGrind®

The Flextool PortaGrind FCG-125 is a compact and powerful handheld concrete grinder, purpose-built for edge work and tight access grinding applications. This portable unit is perfect for grinding along walls, slab edges, around columns, and in hard-to-reach spaces where larger machines can't go.

Fitted with a 1500 W electric motor featuring a soft start function, the Flextool PortaGrind delivers efficient, controlled grinding performance. The variable speed dial allows users to adjust grinding speed from 3000 to 8500 rpm, ensuring optimal results across a variety of surfaces and materials.

This product is eligible for the Flextool Promise.

Powerful 1500 W motor
Provides efficient and consistent grinding performance, ideal for demanding edge and corner work

Ergonomic D-handle design
Provides improved comfort, control, and stability – especially in tight or awkward spaces

Variable speed control

- Enables precise adjustment of the grinding speed to suit a wide range of materials and grinding applications
- 3000 to 8500 rpm

Soft-start function
Reduces start-up torque for smoother operation and extended motor life

Floating dust shroud with 32 mm vacuum outlet
Maintains close contact with the surface for effective dust extraction when connected to a dust collector

Safety trigger system
Dual switch function provides enhanced safety preventing unwanted start-up

Convertible dust shroud
Hinged shroud design enables precise edge grinding for clean, professional results

Spindle lock mechanism
Quick and hassle-free cup wheel changes

Model	Grinding Width mm (in)	Operating Weight kg (lb)	Voltage V/Hz	Power W	Grinding Speed rpm	Spindle / Arbor Size mm (in)	Dust Outlet mm (in)	Power Cord Length m (ft)	Product Code
FCG-125	125 (5)	3.85 (8.5)	240 50	1500	3000 to 8500	22.2 (0.87)	32 (1.26)	2.5 (8.2)	FT100509-UNIT

Flextool Single Head Concrete Grinder

The Flextool Single Head Concrete Grinder FCG-250 is compact in design and delivers exceptional grinding capability. The combination of the direct drive system and the motor positioned directly over the grinding head, allow for efficient and aggressive grinding. Designed for professionals, the FCG-250 has a detachable grinding head for easier transportation, a folding handle with adjustable handlebar, easy access control panel and a central lifting hook.

The innovative floating grinding head with self-levelling pivot follows the floor profile, which promotes even wear of the grinding shoes. A floating dust shroud gives a tight seal, capturing harmful dust from escaping the grinding head.

Changing grinding shoes is fast and hassle-free with the Easy Lock tooling system. Compatible with the Redi Lock system, this machine comes standard with a grinding shoe adaptor plate.

This machine is ideal for small and medium domestic or commercial projects, where coating removal, levelling high spots, or general concrete grinding and surface preparation are needed.

This product is eligible for the Flextool Promise.

Adjustable handlebar
Reversible with 3-way height adjustment for superior ergonomics

Easy operator control
Control panel positioned within easy reach for optimised control and safety

Folding handle
3 locking positions for transport and storage, changing of consumables and operation

Detachable grinding head
Quickly and easily separate the grinding head and motor from the main chassis for easier handling, transportation and storage

Easy Lock grinding shoe adaptor plate included

- Fast and hassle-free changeover of grinding shoes
- Compatible with universal Redi Lock system
- Can also be operated with 250 mm (10 inch) grinding plates

Dust management system
Equipped with dual shrouds (full seal and edge grinding), 50 mm vacuum port, and water inlet for ultimate dust control

Single phase electric motor
1.8 kW electric motor for use with standard 10 amp power outlet

Direct drive system
Delivers optimum grinding efficiency with full motor weight directly over the grinding head

Floating head
Self-levelling pivot follows the floor profile promoting even wear of the grinding shoes and plates

Lifting hook
Central lifting hook for easy and safe onsite handling

Single Head GRINDER

Model	Grinding Width mm (in)	Operating Weight kg (lb)	Voltage V/Hz	Max Current A	Power Output kW	Power Output hp	Grinding Speed rpm	IP Rating	Dust Outlet mm (in)	Lifting Hook	Grinding Shoes	Power Cord Length m (ft)	Product Code
FCG-250	250 (10)	76 (167.5)	240 50/60	9.8	1.8	2.4	1400	55	50 (2)	Yes	Easy Lock (Redi Lock Compatible)*	0.3 (1)	FT100601-UNIT

* Adaptor plate included as standard.

Flextool Planetary Concrete Grinder

The Flextool Planetary Concrete Grinder FCG-450 is compact in design and delivers exceptional grinding and polishing capability. Grinding efficiency is optimised through the placement of the motor directly above the grinding head, providing extra weight during operation. Additional weight can be added by moving adjustable head weights into position.

Featuring a height-adjustable handle, easy access control panel and central lifting hook, this machine is designed with the user in mind. The fully sealed aluminium gearbox provides enhanced durability and reduced maintenance. The floating dust shroud gives a tight seal, capturing harmful dust from escaping the grinding head.

This grinder is ideal for small to medium size projects on residential or custom commercial work.

This product is eligible for the Flextool Promise.



Adjustable handlebar

Reversible with 3-way height adjustment for superior ergonomics

Variable speed

Allows operator to adjust grinding speed from 300 to 1800 rpm

Lifting hook

Central lifting hook for easy and safe onsite handling

Easy operator control

Control panel positioned within easy reach for optimised control and safety

Folding handle

3 locking positions for transport and storage, changing of consumables and operation

Electric motor and inverter

2.2 kW electric motor and inverter system for use with standard 10 amp power outlet

Fully sealed aluminium gearbox

Provides enhanced durability and reduced maintenance (no drive belts)

Detachable grinding head

Quickly and easily separate the grinding head and motor from the main chassis for easier handling, transportation and storage

Adjustable grinding head weights

Two adjustable grinding head weights to increase pressure for improved grinding efficiency and performance

Dust management system

Floating dust shroud gives a tight seal, capturing harmful dust from escaping the grinding head. Fitted with 50 mm outlet for connection to vacuum system

Model	Grinding Width mm (in)	Operating Weight kg (lb)	Voltage V/Hz	Max Current A	Power Output kW	Power Output hp	Grinding Speed rpm	IP Rating	Dust Outlet mm (in)	Lifting Hook	Grinding Shoes	Power Cord Length m (ft)	Product Code
FCG-450	450 (18)	145 (320)	240 50/60	9.57	2.2	3	300 to 1800	55	50 (2)	Yes	Easy Lock (Redi-Lock Compatible)	0.3 (1)	FT100600-UNIT

The FCG-450 can be used with a heavy-duty extension lead with a minimum 3 x 1.5 mm² cable which does not exceed 20 metre in length.

The FCG-450 comes standard with 9 resin adaptors.



Flextool BladeTec® Diamond Cup Wheels

The Flextool BladeTec Diamond Cup Wheel range is designed to the highest standards and for the rigors of commercial and contractor use. The Diamond Cup Wheel range is suitable for a wide range of construction conditions and have been manufactured to endure even the most demanding grinding applications. The Flextool BladeTec Diamond Cup Wheel range features a high diamond concentration for fast grinding and larger segment profiles for longer-lasting performance.



Suitability guide



ANGLE GRINDER

FLEXTOL BLADETEC DIAMOND CUP WHEEL – TURBO SEGMENT

The Flextool BladeTec Turbo Segment Diamond Cup Wheel is designed for removal of a wide range of construction materials and features a high diamond concentration and larger segment profiles, allowing for fast grinding and extended life. The course or fine grit diamonds provide aggressive removal of concrete and creates a smooth or extra smooth finish.

The Flextool BladeTec Turbo Segment Diamond Cup Wheel is suitable for angle grinders. This cup wheel can be used on materials such as concrete, bricks and asphalt.

Description	Grit Size	Cup Wheel Diameter mm (in)	Arbour Size mm	Pack Qty	Product Code
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Course	100 (4)	22.2/16	1	FT102334-UNIT
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Fine	100 (4)	22.2/16	1	FT102335-UNIT
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Course	125 (5)	22.2	1	FT102336-UNIT
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Fine	125 (5)	22.2	1	FT102337-UNIT
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Course	180 (7)	22.2	1	FT102338-UNIT
Flextool BladeTec Diamond Cup Wheel – Turbo Segment	Fine	180 (7)	22.2	1	FT102339-UNIT



FLEXTOL BLADETEC DIAMOND CUP WHEEL – SPIRAL SEGMENT

The Flextool BladeTec Spiral Segment Diamond Cup Wheel is designed for removal of a wide range of construction materials and features a high diamond concentration and larger segment profiles, allowing for super-fast grinding and extended life. The spiral segment design provides ultra-aggressive removal of concrete.

The Flextool BladeTec Spiral Segment Diamond Cup Wheel is suitable for angle grinders. This cup wheel can be used on materials such as concrete, bricks and asphalt.

Description	Cup Wheel Diameter mm (in)	No. of Segments	Arbour Size mm	Pack Qty	Product Code
Flextool BladeTec Diamond Cup Wheel - Spiral Segment	100 (4)	9	22.2/16	1	FT102340-UNIT
Flextool BladeTec Diamond Cup Wheel - Spiral Segment	125 (5)	9	22.2	1	FT102341-UNIT
Flextool BladeTec Diamond Cup Wheel - Spiral Segment	180 (7)	12	22.2	1	FT102342-UNIT



FLEXTOL BLADETEC DIAMOND CUP WHEEL – PCD SEGMENT

The Flextool BladeTec Poly Crystalline Diamond (PCD) Cup Wheel is specifically designed for rapid removal of excessively built up glues and epoxies on concrete surfaces. The low heat generation design allows for quick and easy floor coating removal.

The Flextool BladeTec Poly Crystalline Diamond (PCD) Cup Wheel is suitable for angle grinders. This cup wheel can be used to remove materials such as epoxy, urethane, paints, glues, acrylics and waterproofing membranes.

Description	Cup Wheel Diameter mm (in)	No. of Segments	Arbour Size mm	Pack Qty	Product Code
Flextool BladeTec Diamond Cup Wheel – PCD	125 (5)	12	22.2	1	FT102343-UNIT
Flextool BladeTec Diamond Cup Wheel – PCD	175 (7)	24	22.2	1	FT102344-UNIT



FLEXTOOL BLADETEC EASY LOCK GRINDING SHOES

The Flextool BladeTec Easy Lock Grinding Shoes feature a high diamond concentration and large segment size for optimum grinding efficiency and durability. The Easy Lock system allows for quick and easy connection and is compatible with Redi Lock systems.

These grinding shoes are suitable for use on a range of concrete types including soft, medium, hard, and very hard. Depending on the grit size that is used, the grinding shoes can achieve both course and smooth finishes. PCD and Arrow segment shoes are also available for the removal of thick or thin surface coatings, such as glues or paints.

Compatible with a wide range of grinding equipment.


Application	Colour	Bond Type	Number of Segments	Diamond Grit Size	Pack Qty	Product Code
Soft Concrete	Black	Hard Bond	2	16 grit	3	FT100473-UNIT
				40 grit	3	FT100474-UNIT
				80 grit	3	FT100475-UNIT
				100 grit	3	FT100476-UNIT
Medium Hardness Concrete	Silver	Medium Bond	2	16 grit	3	FT100477-UNIT
				40 grit	3	FT100478-UNIT
				80 grit	3	FT100479-UNIT
				100 grit	3	FT100480-UNIT
Hard Concrete	White	Soft Bond	2	16 grit	3	FT100481-UNIT
				40 grit	3	FT100482-UNIT
				80 grit	3	FT100483-UNIT
				100 grit	3	FT100484-UNIT
Very Hard Concrete	Gold	Very Soft Bond	1	16 grit	3	FT100485-UNIT
				40 grit	3	FT100486-UNIT
				80 grit	3	FT100487-UNIT
				100 grit	3	FT100488-UNIT
Thick Coatings (Epoxy, Glue)	Red	PCD	3	N/A	3	FT100489-UNIT
Thin Coatings (Paint, Sealant)		Soft Bond	2	16 grit	3	FT100490-UNIT



FLEXTOOL BLADETEC QUICK-FIT GRINDING SHOE

Flextool BladeTec Quick-Fit grinding shoes are available in a number of bond hardness for use on materials ranging from soft and porous surfaces such as rain damaged concrete and asphalt, super hard cured concrete and for the removal of epoxies and glues. Grit sizes from 16 through to 150 are available to achieve course surface finishes for overlay with thick epoxies, cement based floor coatings or for a non-slip finish through to fine finishes for semi-polished concrete or for thin floor coatings. Quick-Fit shoes provide super quick tool free knock-in and knock-out changeover of grinding shoes.

Application	Colour	Number of Segments	Diamond Grit Size	Pack Qty	Product Code
Hard, Cured Concrete Floors	White	2	16 grit	1	FT124730-UNIT
Hard, Cured Concrete Floors	White	2	20 grit	1	FT1EHC20-UNIT
Hard, Cured Concrete Floors	White	2	30/40 grit	1	FT124716-UNIT
Hard, Cured Concrete Floors	White	2	80 grit	1	FT124709-UNIT
Medium Hardness Concrete	Grey	2	30/40 grit	1	FT124648-UNIT
Thick Coatings (Epoxy, Glue)	White	2	PCD	1	FT1UBPCD-UNIT



FLEXTOOL BLADETEC EASY LOCK ADAPTOR PLATE - 250 MM

The Flextool BladeTec Adaptor Plate 250 mm is suitable for use with most 250 mm single head or cub style concrete grinders. Made from solid steel, this adaptor plate is zinc plated to protect against corrosion.

This adaptor plate holds six Flextool Easy Lock Grinding Shoes and is compatible with the Redi Lock system.

No special tooling required.

Application	Diameter mm (in)	No. of shoes	Compatibility	Pack Qty	Product Code
Adaptor plate for Easy Lock grinding shoes	250 (10)	Holds 6 grinding shoes	Easy Lock System Redi Lock System	1	FT100602-UNIT



FLEXTOOL BLADETEC GRINDING PLATE - 250 MM

The Flextool BladeTec Grinding Plate features a high diamond concentration and large segment size for optimum grinding efficiency and durability. The soft bond arrow segments allow for aggressive grinding and make this plate suitable for a wide range of general purpose applications.

The Flextool BladeTec Grinding Plate is compatible with single head grinders.

Application	Diameter mm (in)	Colour	Bond Type	Number of Segments	Diamond Grit Size	Pack Qty	Product Code
General Purpose Concrete Grinding	250 (10)	White	Soft Bond	15	30/40 grit	1	FT100472-UNIT



FLEXTOOL BLADETEC DRY POLISHING RESINS

The Flextool BladeTec Dry Polishing Resins achieve optimum polishing efficiency and enhanced polishing clarity with minimal passes. These quality resins are highly durable and longer-lasting. Featuring velcro backing pads for easy connection, the Flextool BladeTec Polishing Resins are compatible with a wide range of equipment. These dry polishing resins are available in 50, 100, 200, 400, 800, 1500 and 3000 grit.

Application	Colour	Size mm (in)	Diamond Grit Size	Pack Qty	Product Code
Concrete Polishing	Navy Blue	80 x 9 (3.14 x 0.35)	50 grit	9	FT100491-UNIT
	Yellow		100 grit	9	FT100492-UNIT
	Orange		200 grit	9	FT100493-UNIT
	Red		400 grit	9	FT100494-UNIT
	Green		800 grit	9	FT100495-UNIT
	Light Blue		1500 grit	9	FT100496-UNIT
	Brown		3000 grit	9	FT100497-UNIT



FLEXTOOL BLADETEC GRINDING WEDGE BLOCK

Flextool BladeTec Grinding Wedge Blocks with four segments are available with two different bond types. White wedges are a medium bond suitable for general grinding of medium to hard concrete. Black Block Wedges are the hardest of the bonds suitable for freshly laid or abrasive concrete. Can be used wet or dry commonly on the Flextool terrazzo grinder.

Description	Specification	Pack Qty	Product Code
Flextool BladeTec Grinding Diamond Wedge White	4 x 12 x 12 x 40	1	FT10DWHC-UNIT
Flextool BladeTec Grinding Diamond Wedge Black	4 x 12 x 12 x 40	1	FT10DWHS-UNIT



Flextool PortaVac

The Flextool PortaVac FDC-1A1P is a lightweight, highly portable dust collector engineered for smaller surface preparation tasks and edge grinding. Featuring a powerful 1200 W motor for increased airflow and a high-quality H-Class HEPA filtration system for reliable and high-performing air filtration for a wide range of projects.

Designed to capture the finest concrete and silica dust particles, the Flextool PortaVac FDC-1A1P is an auto-pulsing dust collector, using patented auto-pulsing technology for 100% uninterrupted working and no manual filter cleaning. It comes standard with a range of accessories and filters.

Ideal for edge grinding, tight workspaces, continuous tool operation, and safe onsite dust management.

This product is eligible for the Flextool Promise.



* For dry use only, must not be used wet. If used wet, filters will need to be replaced.

Flextool Dust Collectors

Flextool Dust Collectors are specifically designed for the rigors of commercial and contractor use. Featuring powerful twin-motors for increased airflow, high-quality H-Class HEPA filtration systems and efficient continuous bagging systems, they provide reliable and high-performing air filtration for a wide range of projects.

Designed to capture the finest concrete and silica dust particles, the Flextool Dust Collector FDC-1A2 is a twin-motor, auto-pulsing dust collector, using patented auto-pulsing technology for 100% uninterrupted working and no manual filter cleaning. It comes standard with a range of accessories and filters.

Ideal for small size to medium size projects on residential and commercial work.

This product is eligible for the Flextool Promise.



* For dry use only, must not be used wet. If used wet, filters will need to be replaced.

FLEXTOOL DUST COLLECTORS



FDC-1A1P

FDC-1M

FDC-1A2

Model	Operating Weight kg (lb)	Voltage V/Hz	Motor W	Current A	Air Flow m³/h (ft³/h)	Vacuum mbar	Vacuum Hose Diameter mm (in)	Pre Filter Type	Filtration Type	Filter Cleaning	Dust Collection	Power Cord Length m (ft)	Product Code
FDC-1A1P	13.5 (29.8)	240 50/60	1200	5.2	262 (9252)	250	35 (1.4)	N/A	2 x H-Class H13	Auto-pulsing (automatic)	Bagging system (Non-continuous)	8 (26.25)	FT100500-UNIT
FDC-1M	48 (105)	240 50/60	2 x 1200	9.6	400 (14,126)	240	50 (2)	Conical	2 x H-Class H13	Jet-pulse (manual)	Continuous drop-down bagging system	8 (26.25)	FT100462-UNIT
FDC-1A2	53 (116.8)	240 50/60	2 x 1200	9.6	400 (14,126)	240	50 (2)	2 x H-Class H11	2 x H-Class H13	Auto-pulsing (automatic)	Continuous drop-down bagging system	8 (26.25)	FT100463-UNIT

FLEXTOOL PORTAVAC COMPONENTS

Description	Product Code	Included with FDC-1A1P
1 FLEXTOOL PORTAVAC ALUMINIUM WAND 35 MM	FT100501-UNIT	✓
2 FLEXTOOL PORTAVAC WAND BEND 35 MM	FT100502-UNIT	✓
3 FLEXTOOL PORTAVAC FLOOR TOOL 35 MM / 300 MM	FT100503-UNIT	✓
4 FLEXTOOL PORTAVAC CREVISE NOZZLE 35 MM	FT100504-UNIT	✓
5 FLEXTOOL PORTAVAC H-CLASS FILTER BAG 5-PACK	FT100505-UNIT	✓*
6 FLEXTOOL PORTAVAC STANDARD FILTER BAG 20-PACK	FT100506-UNIT	✓*
7 FLEXTOOL PORTAVAC HEPA FILTER H-CLASS	FT100507-UNIT	✓
8 FLEXTOOL PORTAVAC CONDUCTIVE HOSE KIT 35 MM / 4 M	FT100508-UNIT	✓



FLEXTOOL DUST COLLECTOR COMPONENTS (FDC-1M / 1A2)

Description	Product Code	Included with FDC-1M and FDC-1A2
1 FLEXTOOL DUST COLLECTOR HOSE 50 MM / 7.5 M	FT100464-UNIT	✓
2 FLEXTOOL DUST COLLECTOR ALUMINIUM WAND 50 MM	FT100465-UNIT	✓
3 FLEXTOOL DUST COLLECTOR FLOOR NOZZLE 50 MM	FT100466-UNIT	✓
4 FLEXTOOL DUST COLLECTOR REDUCER 75 MM / 50 MM	FT101803-UNIT	✓
5 FLEXTOOL DUST COLLECTOR HOSE CUFF 50 MM	FT100471-UNIT	✓
6 FLEXTOOL DUST COLLECTOR BAGGING SYSTEM 4-PACK	FT100467-UNIT	✓*
7 FLEXTOOL DUST COLLECTOR HEPA FILTER H13 (USED ON FDC-1M AND FDC-1A2)	FT100469-UNIT	✓
8 FLEXTOOL DUST COLLECTOR HEPA FILTER H11 (USED ON FDC-1A2)	FT100470-UNIT	✓
9 FLEXTOOL DUST COLLECTOR HEPA FILTER CONICAL (USED ON FDC-1M)	FT100468-UNIT	✓



* Single pack included with purchase.

Flextool Scarifier

The Flextool Scarifier FSP-200 is designed for use on all concrete and asphalt surfaces. With a 200 mm scarifying path, Honda GX160 4-stroke engine and rigid, heavy-weighted chassis design, this machine is engineered around durability and efficiency. The Flextool Scarifier FSP-200 comes with a tungsten carbide tip cutter cage.

This product is eligible for the Flextool Promise.



Model	Working Width (mm)	Operating Weight (kg)	Dust Outlet (mm)	Engine Make	Engine Model	Max Rated Power (hp)	Fuel Type	Product Code
FSP-200	200	87.5	50	Honda	GX160	5.5	P	FT101802-UNIT

CUTTER CAGE (Included with Flextool Scarifier FSP-200)

Description	Product Code
Flextool Scarifier Cage - Tungsten Carbide Tip (Suits FSP-200)	FT101800-UNIT





FROM SITE PREP TO SURFACE PREP, FLEXTOOL HAS THE RIGHT EQUIPMENT FOR THE JOB.

SITE PREPARATION



CONCRETE PLACING



CONCRETE FINISHING



CONCRETE CUTTING



SURFACE PREPARATION





THE HOME OF LEADING BRANDS



Flextool, PortaVibe, Flextool Profinish, PortaScreed, PortaPac, PortaTrowel, PortaGrind, PowerVibe, BladeTec and TuffTruk are registered trade marks of Parchem Construction Supplies Pty Ltd.

Mikasa is a registered trade mark of Mikasa Sangyo Co. Ltd, used under licence. Multiquip, MQ and Whiteman are registered trade marks and QuickPitch and TwinPitch are trade marks of Multiquip Inc. Smith Performance Sprayers is a trade mark. Kraft Tool Co. and W.Rose are trade marks.

Honda and the Powered by Honda logo are trade marks of Honda Motor Co., Ltd. Yanmar and the Yanmar logo are trade marks of Yanmar Co., Ltd. Vanguard is trade mark of Briggs & Stratton Corporation. Hatz Diesel is trade mark of Motorenfabrik Hatz GmbH & Co. KG.

© This publication is copyright. All rights are reserved. Reproduction in whole or in part is prohibited without written permission. Application details are provided as a suggestion only of intended use. This catalogue is produced as a guide to the product range. Some items may not be available at all outlets. Owing to a continual product improvement, designs & specifications may be subject to change without notice.

Flextool | DuluxGroup Australia

1956 Dandenong Rd, Clayton VIC 3168
ABN 80 069 961 968



1300 353 986
flextool.com.au