SPARE PARTS MANUAL

MIKASA FORWARD PLATE COMPACTOR MVC-T60H VAS



Version 1.0 (September 2026)

FOR MORE INFORMATION VISIT flextool.com.au

EXCLUSIVE TO Flextool®

Mikasa

PLATE COMPACTOR

MVC-T60H

PARTS LIST

405-10201

www.mikasas.com

PARTS REMARK INDEX

How to read the marks and remarks used in this parts book.

Section 1 : Explanation of Code Use In "MRK" Column

OO : Interchangeable between the new part and the old one.
XX : Not Interchangeable between new and old.
OX : New part is usable for the old machine but the old part is not usable for the new machine.
XO : The old part is usable for the new machine but the new part is not usable for the old machine.

Note : In case of the lack of interchangeability between the new part and old part,a new part may be used by replacing all other parts found in the assembly. In this case, refer to section 2 for instruction on identifying other parts involved in a new assembly.

AD : Newly established(added)
DC : Suspended(discontinued)
NC : Part number changed
QC : Quantity used has been changed
NS : Not supplied individually but supplied in an assembly or a group.
AS : Special part designed to allow interchangeability between new and old part.
CR : Correction

Section 2 : Items Found In "Remark" Column

Serial Numbers — Where indicated, this indicates a serisl number range (inclusive) where a particular part is used.
Model Number — Where indicated, this shows that the corresponding part is utilized only with this specific model number or model number variant.

or ＊ : All parts with the same number following # or ＊ belong to the same assembly. this part cannot be interchanged individually with any other assemblies to replace an old part (indicated by #), with a new part(indicated by ＊), then all other parts of that assembly must be replaced with new ones.

Note : If more than one of the same reference number is listed, the last one listed indicates newest(or latest)part available.

Section 3: Example

REF NO.	PART NO.	PART NAME	Q'TY	MRK	REMARKS
457(1)	5122-09230	Hinge Metal, Upper/24g	1		-1070 #3 (5)
457(2)	5072-09420	Hinge Metal, Upper M16	1	OX(3)	U1071-(6)＊3(7)

(1) Old part
(2) New part
(3) New part usable with old machine, but old part not usable with new machine (reference section 1).
(4) Old part number is used through this machine serial number.
(5) Old part, used in an assembly with other parts marked with #3. To use this part on a new machine, all other parts in this assembly must be replaced with old ones.
(6) New part put into use starting with this serial number and is still current.
(7) New part used in an assembly with other parts marked＊3, to use this part as a replacement for an old part, all other＊3 marked parts must be changed at the same time.

Section 4: Items Found In "MK2" Column

(only for suspended products)


! OO ("OO" is shown in figure) : The part shown in lower line is supplied.
! SD : Not available due to termination of production.
! NS : Not supplied individually, but supplied in an assembly or a group.
! PD : Supplied as unit product.
SS : Not available after stock run out.

(The contents of this parts catalog are subject to change without notice.)

MVC-T60H PEZ0

VIBRATING PLATE & VIBRATOR

転圧盤＆起振体



MVC-T60H

VIBRATING PLATE & VIBRATOR ** PEZ **


REF NO.	PART NO.	PART NAME	Q'TY	MRK	MK2	REMARKS
1	4231-23330	VIBRATING PLATE / MVC-T60	1			
1	4231-23330-OP	VIBRATING PLATE/MVC-T60/OP	1			OPTION
2	9390-10430	SHOCK ABSORBE D50X45H 57	4			
3	0203-10080	NUT M10	4			
4	0302-10250	SW M10	4			
5	0012-21025	BOLT 10X25 T	4			
6	0302-10250	SW M10	4			
7	0311-10160	PW M10	4			
9	4232-20800	ECC,ROTOR SHAFT/T60	1			
10	4233-59140	PULLEY/VIB/T60	1			
12	9524-00130	WASHER 9304	1			
13	0012-20825	BOLT 8X25 T	1			
13 -1	0302-08200	SW M8	1			
14	9514-05240	KEY 7X7X19 R	1			
15	0404-06208	BEARING 6208C4	2			
16	4174-54390	PACKING(VIB.)/MVC-40G	2			
18	9534-05270	PLUG 1/4X14 13L	1			
19	9534-05260	PACKING 1/4 (CU)	1			
21	4173-39890	CASE COVER(R)/MVC-40G	1			
22	0012-20820	BOLT 8X20 T	4			
23	0302-08200	SW M8	4			
24	0311-08160	PW M8	4			
26	4173-39900	CASE COVER(L)/MVC-40G	1			
27	0604-03020	OIL SEAL TC-30458	1			
28	0091-10105	SOCKET HEAD BOLT 8X15T ZN	4			
29	4173-39910	COVER SEAL(VIB.)/MVC-40G	1			
32	4239-10050	GRIP AY / MVC-T60	1			INCL.33
33	4230-10010	HEXAGON SOCKET TAPERED PLUG R1/4	2			
40	4239-10010	VIBRATOR & PLATE AY / MVC-T60	1			
40	4239-10010-OP	VIBRATOR & PLATE AY/MVC-T60/OP	1			OPTION

MVC-T60H

PFA0

BASE & ENGINE

ベース＆エンジン



MVC-T60H

BASE & ENGINE ** PFA **


REF NO.	PART NO.	PART NAME	Q'TY	MRK	MK2	REMARKS
1	4231-23340-GR	BASE/MVC-T60/GREEN	1			GREEN
1	4231-23340-OR	BASE/MVC-T60/ORANGE	1			ORANGE
1	4231-23340-OP	BASE/MVC-T60/OPTION	1			OPTION
2	4231-23350	BELT COVER(IN)/T60	1			
3	0302-08200	SW M8	4			
4	0012-20815	BOLT 8X15 T	2			
5	0091-10025	SOCKET HEAD BOLT 8X25	1			
6	4173-39980	COVER SEAL(E/G)/MVC-40G	1			
7	4231-23360	BELT COVER/MVC-T60	1			
9	0339-10220	WASHER (8.4X15.5X1.6)	4			
10	0015-20830	SOCKET HEAD BOLT 8X30 T	4			
11	0091-10078	HEX SKT BTN HEAD BOLT 8X20	1			
15	4231-23370	GUARD HOOK/T60	1			
16	0012-21025	BOLT 10X25 T	4			
17	0302-10250	SW M10	4			
21	0701-00302	V-BELT / RPF3300	1			
22	9122-12014	ENGINE GX120UT3-SM12 EXP	1		SS!	
23	4044-12290	ENGINE NUT	1			
24	4134-36870	ENGINE NUT,REAR /MVC-60	1			
25	0012-20840	BOLT 8X40 T	4			
26	0302-08200	SW M8	4			
27	0311-08160	PW M8	4			
29	9594-04350	EARTH WIRE	1			
30	0311-08160	PW M8	1			
31	0227-10809	NYLON NUT M8	1			
33	9514-00100	KEY 5X5X35	1			
34	4234-75870	CLUTCH SPACER/T60	1			
35	9439-20080	CLUTCH SHOE AY/MVR-65W	1			
36	0460-06006	BEARING 6006DDU	1			
37	0802-00300	STOP RING S-30	1			
38	9410-10400	CLUTCH PULLY A1124-S18D	1			
39	0806-00550	STOP RING AR-55	1			
40	9524-00130	WASHER 9304	1			
41	0302-08200	SW M8	1			
42	0012-20825	BOLT 8X25 T	1			
43	4604-46780	CLUTCH AY A1 /65W	1			
45	0091-10072	PAN HEAD SCREW 5X35	2			
46	9524-09910	COLLAR 6.5X10.5X12.7	2			
47	0302-05130	SW M5	2			
48	0311-05080	PW M5	2			
49	0227-10506	NYLON NUT M5	2			
50	9550-10319	TP-22 TACHO/HOUR METER	1			
51	9550-10321	CURL CORD/L700/MVC-T60	1			
52	9590-26840	RUBBER TUBE D4.5-650	1			
53	9544-09880	CLAMP M6/MT	1			
55	9594-08920	CLIP 8(M8) /MVH-308	1			
56	0012-20820	BOLT 8X20 T	1			
57	0302-08200	SW M8	1			
58	0311-08160	PW M8	1			
60	9544-10020	CLAMP, D6.5XL95Xt0.8	1			
61	9550-10307	CLIP BELT/TP-22	1			
62	4540-10020	CLAMP AB100-W	2			

MVC-T60H

PFB0

HANDLE & CART

ハンドル＆移動車



MVC-T60H


HANDLE & CART ** PFB **

REF NO.	PART NO.	PART NAME	Q'TY	MRK	MK2	REMARKS
1	4234-75860	HANDLE STOPPER/T60	2			
2	4174-54420	COLLAR 10.5-20-37.5L	2			
3	0012-21052	BOLT 10X60 T	2			
4	0302-10250	SW M10	2			
5	9524-01660	WASHER 103045	2			
9	4239-10020	VAS HOLDING HANDLE AY / T60	1			
11	9594-10490	T-KNOB M10X33L	2			
12	0311-10160	PW M10	2			
13	0502-00080	O-RING P-8	2			
17	4164-59320	HANDLE NUT,VAS HANDLE/88G	2			
18	4164-59341	RUBBER,VAS HANDLE/MVC-88G	2			
19	0091-20407	SUNK HEAD BOLT 10X20 T	2			
22	0012-21030	BOLT 10X30 T	2			
23	0321-10180	CONICAL SPRING WASHER M10	4			
24	0311-10160	PW M10	4			
25	0204-10060	NUT M10, H=6	2			
29	4239-10060	CART AY/MVC-T60	1			
30	9594-11020	WHEEL 12DX125X42B/T90	2			
32	0802-00120	STOP RING S-12	2			
33	0311-12230	PW M12	2			
34	4234-75910	COLLAR WHEEL/T60	1			
35	0204-12070	NUT M12, H=7	1			
36	0302-08200	SW M8	1			
37	0311-08160	PW M8	1			
38	0203-08060	NUT M8	1			
40	4239-10070	STOPPER SET/MVC-T60	1			
41	0091-10064	SOCKET HEAD BOLT 6X20 ZN	2		0JH	
42	0311-06100	PW M6	2			
43	0302-06150	SW M6	2			
44	0203-06050	NUT M6	2			
48	4183-52520	STOPPER BRACKET/F60	1			
49	4184-67290	STOPPER PIN,D16,HANDLE	1			
50	4184-67160	SPRING/STOPPER/F60	1			
51	4184-67280	STOPPER /S-BRACKT	1			
52	9590-10412	EYE NUT M8	1			
53	0204-08050	NUT M8, H=5	1			
57	0012-20825	BOLT 8X25 T	2			
58	0302-08200	SW M8	4			
59	0311-08160	PW M8	4			
60	0203-08060	NUT M8	2			

MVC-T60H **PFC0**

WATER TANK
水タンク

WATER TANK SET / PRODUCT SALES ONLY
水タンクセット　／　製品販売のみ



MVC-T60H


WATER TANK ** PFC **


REF NO.	PART NO.	PART NAME	Q'TY	MRK	MK2	REMARKS
2	9543-00343	CAP,WATER TANK(NBR)	1			
3	0012-41030	BOLT 10X30 U	1			
4	0339-10160	PW M10(SUS)	2			
5	0229-10270	NYLOC NUT M10(SUS)	1			
6	0227-20808	NYLON NUT M8, H=8.7	1		0JH	
7	9534-07410	PACKING,8X15X2T	1			
8	9544-07090	COCK / ANGLE TYPE M8	1			
9	9544-05680	CONNECTOR 1/4X10	1			
10	4239-10030	PIPE HOLDER(COCK)AY/T60	1			
12	4239-10040	PIPE HOLDER(END)AY/T60	1			
15	0015-20820	SOCKET HEAD BOLT 8X20 T	2			
16	0302-08200	SW M8	2			
17	4233-59180	SPRINKLING PIPE/T60	1			

MVC-T60H PFD0

DECALS

銘板





MVC-T60H

DECALS

** PFD **

REF NO.	PART NO.	PART NAME	Q'TY	MRK	MK2	REMARKS
1	9202-25730	SERIAL NO.PLATE/T60/CE	1			CE
1	9202-25760	SERIAL NO.PLATE/T60H/CN	1			CHN
1	9202-25770	SERIAL NO.PLATE/T60H/NO CE	1			NO CE
6	9201-14000	DECAL,MIKASA(125MM)BLACK	1			
7	9202-25630	DECAL,MVC-T60/GREEN	1			GR
7	9202-25640	DECAL,MVC-T60/ORANGE	1			OR
8	9202-10960	DECAL,M-MARK WHITE-40X80	1			
9	9202-25720	DECAL,MIKASA(125MM)WHITE	1			
10	9202-10330	DECAL,EC NOISE REQ.LWA105	1			
20	9209-00090	DECAL,SET/MVC-MCD/EXP,EU	1			

MIKASA SANGYO CO., LTD.
1-4-3,Kanda-Sarugakucho,Chiyoda-ku,Tokyo,101-0064,Japan
COPYRIGHT 2024, MIKASA SANGYO CO., LTD.



Flextool

1956 Dandenong Road, Clayton VIC 3168, Australia
Phone: 1300 353 986
flextool.com.au
ABN 80 069 961 968

This manual summarises our best knowledge of the product based on the information available at the time of publication. You should read this manual carefully and consider the information in the context of how the product will be used. Our responsibility for products sold is subject to our standard terms and conditions of sale.

DISCLAIMER:

Any advice, recommendation, information, assistance or service provided by us in this manual is given in good faith and is believed by us to be appropriate and reliable. However, any advice, recommendation, information, assistance or service provided by us is provided without liability or responsibility PROVIDED THAT the foregoing shall not exclude, limit, restrict or modify the right entitlements and remedies conferred upon any person or the liabilities imposed upon us by any condition or warranty implied by Commonwealth, State or Territory Act or ordinance void or prohibiting such exclusion limitation or modification. The product can be expected to perform as indicated in this manual so long as operation and operational procedures of the individual products are followed as recommended in this manual.

Design and technical specifications may be subject to changes.

© This publication is copyright. All rights are reserved. Flextool is a registered trade mark of Parchem Construction Supplies Pty Ltd. Mikasa is a registered trade mark of Mikasa Sangyo Co. Ltd, used under licence.